

Diet Identification :

Code :	U8955P Version 0002
Objective :	Fats and Sugars rich Diet 45% of the energy via fat (lard)
Feed intake :	Rat 10 g/d to 25 g/d, Mouse 3 g/d to 6 g/d.
Form :	Pellet 10-12mm diameter.
Packing :	2 kg bucket, protected by a cardboard box. Possibility to modify on request.
Preservation :	4°C
Lifetime :	6 months
Irradiation :	Possible 10, 25 or 40 kilogray



Non contractual picture

Ingredients : Sucrose, casein, lard, pregelatinized cornstarch, pre-mixture of minerals PM 205B, crude cellulose, soybean oil, maltodextrin, pre-mixture of vitamins PV 200 1%

Nutritive Composition :

Nutrients	%	Kcal/kg	Kcal/kg
Protein	18,0	Minerals	5,1
Fat	22,9	Cellulose	3,5
Carbohydrate	46,0	Starch	15,1
Energy	MJ/kg	kcal/kg	%
Atwater	19,3	4616,5	
Protein	3,0	718,9	15,6
Fat	8,6	2057,8	44,6
Carbohydrate	7,7	1839,8	39,9
	mg/kg		mg/kg
Na	3007,7	Fe	109,0
K	3781,1	Cu	88,5
Mg	1252,1	Zn	317,2
Ca	8408,6	P	6513,0
Mn	538,7	Cl	7991,5
	UI/Kg		mg/kg
Vit. A	20000,4	Vit. K3	18,1
Vit. E	179,8	Vit. B1	20,0
Vit. D3	2500,0	Vit. B4	1012,5
	%		%
Glucose.	0,03	Sucrose	27,84
Fructose	-	Lactose	0,03

	mg/kg		mg/kg
Arg.	0,71	Thr	0,81
Lys.	1,53	Trp	0,22
Met	0,56	Met+Cys	0,63
	mg/kg		mg/kg
Sum SFA	81160	Sum n-3	3935
C16:0	50850	ALA	3935
C18:0	27313	EPA	-
Sum UFA	131369	DHA	-
C18:1	85050	DPA	-
Sum MUFA	92109	Sum n-6	35325
Sum PUFA	39260	LA	31925
		AG trans (-CLA)	764
		CLA	-

The hardness of custom diets is generally lower than the standard chow, it's recommended to add TOP BRICKS for proper teeth wear and proper expression of the rodent's behavior.



Values are given for information, it is calculated averages. They are indicative and have no contractual value. They are subject to variations related to culture conditions, storage and analytical methods. An analysis of the batch concerned allows validating nutritional values.

Bibliography :



Non contractual picture

Autocrine Action of IGF2 Regulates Adult β -Cell Mass and Function

Honey Modi¹, Cecile Jacovetti², David Tarussio¹, Salima Metref¹, Ole D. Madsen³, Fu-Ping Zhang⁴, Pia Rantakari⁴, Matti Poutanen⁴, Serge Nef⁵, Tracy Gorman⁶, Romano Regazzi² and Bernard Thorens¹
Diabetes, 64(12): 4148-4157, 2015 12; DOI : 10.2337/db14-1735

Bile Acid Alters Male Mouse Fertility in Metabolic Syndrome Context

Aur lie Vega,^{#1,2,3,4} Emmanuelle Martinot,^{#1,2,3,4} Marine Baptissart,^{1,2,3,4} Ang lique De Haze,^{1,2,3,4} Frederic Vaz,⁵ Wim Kulik,⁵ Christelle Damon-Soubeyrand,^{1,2,3,4} Silv re Baron,^{1,2,3,4} Fran oise Caira,^{2,3,4} and David H. Volle^{1,2,3,4,*}
PLoS One, 10(10), 2015 10 06; DOI : 10.1371/journal.pone.0139946

Hippocampal GSK3 β as a Molecular Link Between Obesity and Depression.

Papazoglou IK, Jean A, Gertler A, Taouis M, Vacher CM.
Molecular Neurobiology, , 2014 08 29; DOI : 10.1007/s12035-014-8863-x

Tissue kallikrein deficiency, insulin resistance, and diabetes in mouse and man

Potier L, Waeckel L, Fumeron F, Bodin S, Fysekidis M, Chollet C, Bellili N, Bonnet F, Gusto G, Velho G, Marre M, Alhenc-Gelas F, Roussel R, Bouby N; DESIR Study Group.
J. of Endocrinology, 221 (2) 297-308, 2014 03 05; DOI : 10.1530/JOE-13-0529

ChemR23 knockout mice display mild obesity but no deficit in adipocyte differentiation

Rouger L, Denis GR, Luangsay S, Parmentier M.
J. of Endocrinology, 219(3):279-89, 2013 11 07; DOI : 10.1530/JOE-13-0106

Early leptin blockade predisposes fat-fed rats to overweight and modifies hypothalamic microRNAs

Benoit C, Ould-Hamouda H, Crepin D, Gertler A, Amar L, Taouis M.
J. of Endocrinology, 218(1):35-47, 2013 06 1; DOI : 10.1530/JOE-12-0561

Hypothalamic AgRP-neurons control peripheral substrate utilization and nutrient partitioning

Joly-Amado A1, Denis RG, Castel J, Lacombe A, Cansell C, Rouch C, Kassis N, Dairou J, Cani PD, Ventura-Clapier R, Prola A, Flamment M, Fougelle F, Magnan C, Luquet S.
The EMBO Journal, 31(22):4276-88, 2012 11; DOI : 10.1038/emboj.2012.250

CB1 Antagonism Exerts Specific Molecular Effects on Visceral and Subcutaneous Fat and Reverses Liver Steatosis in Diet-Induced Obese Mice

Tony Jourdan, Louiza Djaouti, Laurent Demizieux, Joseph Gresti, Bruno Verg s, Pascal Degrace
Diabetes, 59(4): 926-934, 2010 04; DOI : 10.2337/db09-1482

High-fat feeding alters the clock synchronization to light

Jorge Mendoza, Paul P vet, and Etienne Challet
J Physiol, 586(Pt 24): 5901-5910, 2008 12 15; DOI : 10.1113/jphysiol.2008.159566

Short day-length increases sucrose consumption and adiposity in rats fed a high-fat diet

Natalia Sinitskaya a, Carole Schuster-Klein b, Be atrice Guardiola-Lemaitre b, Sylviane Gourmelen a, Paul Pe vet a, Etienne Challet a,*
Psychoneuroendocrinology, 1269-78, 2008 10; DOI : 10.1016/j.psyneuen.2008.07.003

Values are given for information, it is calculated averages. They are indicative and have no contractual value. They are subject to variations related to culture conditions, storage and analytical methods. An analysis of the batch concerned allows validating nutritional values.

