

Alpha-Galacto-Oligosaccharides at Low Dose Improve Liver Steatosis in a High-Fat Diet Mouse Model

Eric Chappuis 1,*, Fanny Morel-Depeisse 1, Bruno Bariohay 2 and Julien Roux 2

MDPI, 2017 10 14; DOI : 10.3390/molecules22101725

WEB >> <http://www.mdpi.com/1420-3049/22/10/1725/htm>

Safety evaluation of transgenic low-gliadin wheat in Sprague Dawley rats: An alternative to the gluten free diet with no subchronic adverse effects

Carmen VictoriaOzuna. Author links open the author workspace.FranciscoBarroOpens the author workspace

Food and Chemical Toxicology, Volume 107, Part A, September 2017, Pages 176-185, 2017 06 23; DOI : <https://doi.org/10.1016/j.fct.2017.06.037>

WEB >> <http://www.sciencedirect.com/science/article/pii/S0278691517303551#>

Impact of Early Consumption of High-Fat Diet on the Mesolimbic Dopaminergic

System

F. Naneix, F. Tantot, C. Glangetas, J. Kaufling, Y. Jantkhakhin, C. Boitard, V. De Smedt-Peyrusse, J. R. Pape, S. Vancassel, P. Trifilieff, F. Georges, E. Coutureau and G.

Ferreira

A potential role for the secretogranin II-derived peptide EM66 in the hypothalamic regulation of feeding behaviour

F.Trebak; I. Dubuc; A. Arabo; A. Alaoui; L. Boukhzau; J. Maucotel; M. Picot; S. Cherifi; C. Duparc; J. Leprince; G. Prévost; Y. Anouar; R. Mergoul; N. Chartrel

Journal of Neuroendocrinology, Volume 29, Issue 3, 2017 03 24; DOI : 10.1111/jne.12459

WEB >> <http://onlinelibrary.wiley.com/doi/10.1111/jne.12459/full>

Antioxidant properties of tea blunt ROS-dependent lipogenesis: beneficial effect on hepatic steatosis in a high fat-high sucrose diet NAFLD obese rat model

Laura Brauda, Sylvain Battaault, Grégory Meyerb, Alessandro Nascimentob, Sandrine Gaillardc, Georges de Sousad, Roger Rahmanid, Catherine Rivab, Martine Armande,

Jean-Michel Maixenta, Cyril Reboulb,

The Journal of Nutritional Biochemistry, Volume 40, February 2017, Pages 95–104, 2016 10 29; DOI : <http://dx.doi.org/10.1016/j.jnutbio.2016.10.012>

WEB >> <http://www.sciencedirect.com/science/article/pii/S095528631630643X>

Activation of the Constitutive Androstane Receptor induces hepatic lipogenesis and regulates Pnpla3 gene expression in a LXR-independent way

Toxicology and Applied Pharmacology, Volume 303, Pages 90–100, 2016 07 15

WEB >> <http://www.sciencedirect.com/science/article/pii/S0041008X16301120>

Exercise does not activate the β_3 adrenergic receptor–eNOS pathway, but reduces inducible NOS expression to protect the heart of obese diabetic mice

Adrien Kleindienst, Sylvain Battaault, Elise Belaidi, Stephane Tanguy, Marie Rosselin, Doria Boulghobra, Gregory Meyer, Sandrine Gayraud, Guillaume Walther and 4 more

Basic Research in Cardiology, 111:40, 2016 06; DOI : 10.1007/s00395-016-0559-0

WEB >> <http://link.springer.com/article/10.1007/s00395-016-0559-0>

Plasma Cholesterol-Lowering Activity of Lard Functionalized with Mushroom Extracts Is Independent of Niemann–Pick C1-like 1 Protein and ABC Sterol Transporter Gene Expression in Hypercholesterolemic Mice

Victor Caz, Alicia Gil-Ramírez, Mónica Santamaría, María Tabernero, Cristina Soler-Rivas, Roberto Martín-Hernández, Francisco R. Marín, Guillermo Reglero and Carlota

Largo

Water-Soluble Compounds from *Lentinula edodes* Influencing the HMG-CoA Reductase Activity and the Expression of Genes Involved in the Cholesterol Metabolism

Alicia Gil-Ramírez, Victor Caz, Fhernanda R. Smiderle, Roberto Martin-Hernandez, Carlota Largo, María Tabernero, Francisco R. Marín, Marcello Iacomini, Guillermo Reglero

and Cristina Soler-Rivas

J. Agric. Food Chem, 2016, 64 (9), pp 1910–1920, 2016 02 13; DOI : 10.1021/acs.jafc.5b05571

Autocrine Action of IGF2 Regulates Adult β -Cell Mass and Function

Honey Modi¹, Cecile Jacovetti², David Tarussio¹, Salima Metref¹, Ole D. Madsen³, Fu-Ping Zhang⁴, Pia Rantakari⁴, Matti Poutanen⁴, Serge Nef⁵, Tracy Gorman⁶, Romano

Regazzi² and Bernard Thorens¹

Diabetes, 64(12): 4148–4157, 2015 12; DOI : 10.2337/db14-1735

Metabolism regulates exposure of pancreatic islets to circulating molecules in vivo

Aurélien Michau, David J. Hodson, Pierre Fontanaud, Anne Guillou, Gabriel Espinosa-Carrasco, François Molino, Catherine J. Peters, C. Robinson, Paul Le Tissier, Patrice

Mollard, Marie Schaeffer

Diabetes Publish Ahead of Print, db15-1168v1

Time course of cardiometabolic alterations

in a high fat high sucrose diet mice model

and improvement after GLP-1 analog

treatment using multimodal cardiovascular

Bile Acid Alters Male Mouse Fertility in Metabolic Syndrome Context

Aurélie Vega,^{#1,2,3,4} Emmanuelle Martinot,^{#1,2,3,4} Marine Baptissart,^{1,2,3,4} Angélique De Haze,^{1,2,3,4} Frederic Vaz,⁵ Wim Kulik,⁵ Christelle Damon-Soubeyrand,^{1,2,3,4}

Silvère Baron,^{1,2,3,4} Françoise Caira,^{2,3,4} and David H. Volle^{1,2,3,4,*}

PLoS One, 10(10), 2015 10 06; DOI : 10.1371/journal.pone.0139946

Fusion protein of retinol-binding protein and albumin domain III reduces liver fibrosis

Hongsik Lee, Hyeyoun Jeong, Sangeun Park, Wonbaek Yoo, Soyoun Choi, Kyungmin Choi, Min-Goo Lee, Mihwa Lee, DaeRyong Cha, Young-Sik Kim, Jeeyoung Han,

Wonkon Kim, Sun-Hwa Park, Junseo Oh

The EMBO Journal, 2015 04 11; DOI : 10.15252/emmm.201404527

WEB >>

Proanthocyanidin-Rich Date Seed Extract Protects Against Chemically Induced Hepatorenal Toxicity

Ahmed Atallah F., Al-Qahtani Jawaher H., Al-Yousef Hanan M., Al-Said Mansour S., Ashour AbdelKader E., Al-Sohaibani Mohammed, and Rafatullah Syed

Journal of Medicinal Food, Volume: 18 Issue 3; 2015 03 03; DOI : 10.1089/jmf.2014.3157.

WEB >> <http://online.liebertpub.com/doi/abs/10.1089/jmf.2014.3157>

Maternal perinatal undernutrition modifies lactose and serotranferrin in milk: 2 relevance to the programming of metabolic diseases ?

Wattez , Delmont , Bouvet , Beseme, Goers , Delahaye , Laborie , Lesage , Foligné , Breton , Metges , Vieau , Pinet

Am J Physiol Endocrinol Metab, 308(5):E393-401, 2015 03; DOI : 10.1152/ajpendo.00452.2014

WEB >>

http://www.researchgate.net/profile/Didier_Vieau/publication/270290341_Maternal_perinatal_undernutrition_modifies_lactose_and_serotranferin_in_milk_relevance_to_the_pr

Chronic Intake of Sucrose Accelerates Sarcopenia in Older Male Rats through Alterations in Insulin Sensitivity and Muscle Protein Synthesis
Eva Gatineau, Isabelle Savary-Auzeloux, Carole Migné, Sergio Polakof, Dominique Dardevet, and Laurent Mosoni
J Nutr, vol. 145no. 5 923-930, 2015 02 20; DOI : 10.3945/jn.114.205583
WEB >> <http://jn.nutrition.org/content/145/5/923.short>

Effect of specific amino acids on hepatic lipid metabolism in fructose-induced non-alcoholic fatty liver disease
Prasanthi Jegatheesana, Stéphanie Beutheua, , Gabrielle Venturaa, , Gilles Sarfatib, , Esther Nubreta, , Nathalie Kapelc, , Anne-Judith Waligora-Duprietc, , Ina Bergheimd, , Luc Cynobera, Jean-Pascal De-Bandta
Science Direct, Available online 10 February 2015, 2015 02 10; DOI : 10.1016/j.clnu.2015.01.021

Tissue kallikrein is required for the cardioprotective effect of Cyclosporin A in myocardial ischemia in the mouse
G. Youcefa, E. Belaidi, L. Waeckela, L. Fazala, M. Clemessya, M.P. Vincenta, G. Zadiguea, C. Richera, F. Alhenc-Gelasa, M. Ovizea, A. Pizarra
Science Direct, Volume 94, Issue 1, 1 March 2015, Pages 22–29, 2015 01 23; DOI : 10.1016/j.bcp.2015.01.007
WEB >> <http://www.sciencedirect.com/science/article/pii/S0006295215000568>

Exercise training protects against atherosclerotic risk factors through vascular NADPH oxidase, extracellular signal-regulated kinase 1/2 and stress-activated protein kinase/c-Jun N-terminal kinase downregulation in obese rats
Sabour Touati, Augusto CI Montezano, Faygal Meziri, Catherine Riva, Rhian M Touyz and Pascal Laurant
CEPP Clinical and Experimental Pharmacology and Physiology, Volume 42, Issue 2, pages 179–185, February 2015, 2015 01 12; DOI : 10.1111/1440-1681.12338

Bile Routing Modification Reproduces Key Features of Gastric Bypass in Rat
Goncalves, Daisy PhD; Barataud, Aude MS; De Vadder, Filipe PhD; Vinera, Jennifer MS; Zitoun, Carine AD; Duchamp, Adeline AD; Mithieux, Gilles PhD
Annals of Surgery, , 2015 01 08; DOI : 10.1097/SLA.0000000000001121
WEB >> http://journals.lww.com/annalsurgery/Abstract/publishahead/Bile_Routing_Modification_Reproduces_Key_Features.97569.aspx

Maternal perinatal undernutrition modifies lactose and serrotranferin in milk: relevance to the programming of metabolic diseases ?
Jean-Sébastien Watzet, Anne Delmont, Marion Bouvet, Olivia Beseme, Solvig Goers, Fabien Delahaye, Christine Laborie, Jean Lesage, Benoit Foligne, Christophe Breton, Cornelia C. Metges, Didier Vieau, Florence Pinet
APS Journals, , 2014 12 30; DOI : 10.1152/ajpendo.00452.2014
WEB >> <http://onlinelibrary.wiley.com/doi/10.1002/hep.26710/full>

The food born mycotoxin deoxynivalenol induces low-grade inflammation in mice in the absence of observed-adverse effects
Catherine Tardivela, Coraline Airault, Mehdi Djelloula, Florent Guillebauda, Rym Barbouchea, Jean-Denis Troadea, Stéphanie Gaigéa, Michel Dallaportaa
Toxicol Lett., Volume 232, Issue 3, 3 February 2015, Pages 601–611, 2014 12 27; DOI : 10.1016/j.toxlet.2014.12.017
WEB >> <http://www.sciencedirect.com/science/article/pii/S0378427414015240>

Leptin Normalizes Photic Synchronization in Male ob/ob Mice, via Indirect Effects on the Suprachiasmatic Nucleus
Edith Grosbellet, Sylviane Gourmelen, Paul Pévet, François Criscuolo, and Etienne Challet
Endocrine Society, Volume 156, Issue 3, 2014 12 18; DOI : 10.1210/en.2014-1570
WEB >> <http://press.endocrine.org/doi/abs/10.1210/en.2014-1570>

The second transferrin receptor regulates red blood cell production in mice
Antonella Nai, Maria Rosa Lidonnic, Marco Rausa, Giacomo Mandelli, Alessia Pagani, Laura Silvestri, Giuliana Ferrari and Clara Camaschella
Blood journal, Volume: 125 Issue: 7 Pages: 1170 - 1179, 2014 12 03; DOI : 10.1182/blood-2014-08-596254
WEB >>

Potential probiotic *Bifidobacterium animalis* ssp. *lactis* 420 prevents weight gain and glucose intolerance in diet-induced obese mice.
Stenman, Waget, Garret, Klopp, Burcelin, Lahtinen .
Beneficial Microbes, 5(4):437-45, 2014 12 01; DOI : 10.3920/BM2014.0014
WEB >> <http://www.ncbi.nlm.nih.gov/pubmed/25062610>

Metabolic and oxidative stress markers in Wistar rats after 2 months on a high-fat diet
Nathalie Auberval, Stéphanie Dal, William Bietiger, Michel Pinget, Nathalie Jeandier, Elisa Maillard-Pedracini, Valérie Schini-Kerth and Séverine Sigrist
Diabetology & Metabolic Syndrome, Volume 6, , 2014 11 28; DOI : 10.1186/1758-5996-6-130

Ozone exposure triggers insulin resistance through muscle c-Jun N-terminal Kinases (JNKs) activation.
Vella RE, Pillon NJ, Zarrouki B, Croze ML, Koppe L, Guichardant M, Pesenti S, Chauvin MA, Rieusset J, Gélœn A, Soulage CO.
PubMed, , 2014 10 02
WEB >> <http://www.ncbi.nlm.nih.gov/pubmed/25277399>

Ozone Exposure Triggers Insulin Resistance Through Muscle c-Jun N-Terminal Kinase Activation
Roxane E. Vella, Nicolas J. Pillon, Bader Zarrouki, Marine L. Croze, Laetitia Koppe, Michel Guichardant, Sandra Pesenti, Marie-Agnès Chauvin, Jennifer Rieusset, Alain Gélœn and Christophe O. Soulage
Diabetes Journals, , 2014 09 27; DOI : 10.2337/db13-1181/-/DC1.

Acute oral metformin enhances satiation and activates brainstem nesfatineric neurons.
Rouquet T, Clément P, Gaigé S, Tardivel C, Roux J, Dallaporta M, Bariohay B, Troade JD, Lebrun B.
Silver spring, , 2014 09 19
WEB >> <http://www.ncbi.nlm.nih.gov/pubmed/25236366>

Model of adipose tissue cellularity dynamics during food restriction.
Soula HA, Gélœn A, Soulage CO
Journal of Theoretical Biology, , 2014 09 06
WEB >> <http://www.ncbi.nlm.nih.gov/pubmed/25196549>

The corticotrophin-releasing factor/urocortin system regulates white fat browning in mice through paracrine mechanisms
B Lu, Y Diz-Chaves, D Markovic, A Contarino, L Penicaud, F Fanelli, S Clark, H Lehnert, D Cota, D K Grammatopoulos and A Tabarin
International Journal of Obesity, 408–417 (1 March 2015), 2014 09 05; DOI : 10.1038/ijo.2014.164
WEB >> <http://www.nature.com/ijo/journal/v39/n3/pubmed/ijo2014164a.html>

Hippocampal GSK3 β as a Molecular Link Between Obesity and Depression.
Papazoglou IK, Jean A, Gertler A, Taouis M, Vacher CM.
Molecular Neurobiology, , 2014 08 29; DOI : 10.1007/s12035-014-8863-x
WEB >> <http://www.ncbi.nlm.nih.gov/pubmed/25169083>

White Adipose Tissue Resilience to Insulin Deprivation and Replacement
Lilas Hadji, Emmanuelle Berger, Hédi Soula, Hubert Vidal, Alain Gélouën
PLoS One, , 2014 08 29
WEB >> <http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0106214>

Alterations in neutrophil production and function at an early stage in the high-fructose rat model of metabolic syndrome.
Tagzirt M, Corseaux D, Pasquesoone L, Mouquet F, Roma-Lavisse C, Ung A, Lorenzi R, Jude B, Elkalioubie A, Van Belle E, Susen S, Dupont A.
American Journal of Hypertension, 27(8):1096-104, 2014 08 27; DOI : 10.1093/ajh/hpu021
WEB >> <http://www.ncbi.nlm.nih.gov/pubmed/25103937>

Adverse effects of long-term exposure to bisphenol A during adulthood leading to hyperglycaemia and hypercholesterolemia in mice
Alice Marmugia, Frédéric Lasserrea, Diane Beuzelinc, Simon Ducheixa, Laurence Huca, Arnaud Polizzia, Maud Chetivaux, Thierry Pineau, Pascal Martina, Hervé Guilloua, Laila Mselli-Lakhala
Science Direct, , 2014 08 26; DOI : 10.1016/j.tox.2014.08.006

Mouse adipose tissue stromal cells give rise to skeletal and cardiomyogenic cell sub-populations
Cécile Dromard, Corinne Barreau, Mireille André, Sandra Berger-Müller, Louis Casteilla and Valerie Planat-Benard
Front Cell Dev Biol, , 2014 08 25; DOI : 10.3389/fcell.2014.00042
WEB >> <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4206990/>

Impairment of hippocampal-dependent memory induced by juvenile high-fat diet intake is associated with enhanced hippocampal inflammation in rats
Chloé Boitard, Amandine Cavaroc, Julie Sauvant, Agnès Aubert, Nathalie Castanon, Sophie Layé, Guillaume Ferreira
Brain Behav Immun, , 40:9-17, 2014 08; DOI : 10.1016/j.bbi.2014.03.005
WEB >> <http://www.sciencedirect.com/science/article/pii/S0889159114000713>

Exacerbated oxidative stress in the fasting liver according to fuel partitioning
Thierry Wasselin, Sandrine Zahn, Yvon Le Maho, Alain Van Dorsselaer, Thierry Raclot and Fabrice Bertile
Wiley Online Library, Volume 14, Issue 16, pages 1905–1921, August 2014, 2014 07 14; DOI : 10.1002/pmic.201400051
WEB >> <http://onlinelibrary.wiley.com/doi/10.1002/pmic.201400051/abstract>

The histone acetyltransferase MOF activates hypothalamic polysialylation to prevent diet-induced obesity in mice
Xavier Brenachot 1,3, Caroline Rigault 1,3, Emmanuelle Nédélec 1, Amélie Laderrière 1, Tasneem Khanam 2,

Cathepsin S inhibition lowers blood glucose levels in mice
Jean-Charles Lafarge, Maria Pini, Véronique Pelloux, Gabriela Orasanu, Guido Hartmann, Nicolas Venteclaf, Thierry Sulpice, Guo-Ping Shi, Karine Clément, Michèle Guerre-Millo
Diabetologia, 57(8):1674-83, 2014 06 03; DOI : 10.1007/s00125-014-3280-2

Is there an optimal dose for dietary linoleic acid? Lessons from essential fatty acid deficiency supplementation and adipocyte functions in rats
Isabelle Harant-Farrugia, Jésus Garcia, Mari-Carmen Iglesias-Osma, Maria José Garcia-Barrado, Christian Carpené
J. of Physiology and Biochemistry, , Volume 70, Issue 2, pp 615-627, 2014 06 01; DOI : 10.1007/s13105-014-0315-6
WEB >> <http://link.springer.com/article/10.1007/s13105-014-0315-6>

Glutamatergic signaling and low prodynorphin expression are associated with intact memory and reduced anxiety in rat models of healthy aging
Caroline Ménard, Rémi Quirion, Sylvain Bouchard, Guylaine Ferland, and Pierrette Gaudreau
Front Aging Neurosci., , 2014 05 07
WEB >> <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4019859/>

Deletion of PARP-2 induces hepatic cholesterol accumulation and decrease in HDL levels
Magdolna Szántó, Attila Brunyánszki, Judit Márton, György Vámosi, Lilla Nagy, Tamás Fodor, Borbála Kiss, László Virág, Pál Gergely, Péter Baia
ScienceDirect, Volume 1842, Issue 4, Pages 594–602, 2014 04
WEB >> <http://www.sciencedirect.com/science/article/pii/S092544391300361X>

Mice Deficient in Cryptochrome 1 (Cry1^{-/-}) Exhibit Resistance to Obesity Induced by a High-Fat Diet
Guy Griebel, Christine Ravinet-Trillou, Sandra Beeské, Patrick Avenet, and Philippe Pichat
Frontiers in Endocrinology, , 2014 03 26; DOI : 10.3389/fendo.2014.00049
WEB >> <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3988402/>

Glucose sensing O-GlcNAcylation pathway regulates the nuclear bile acid receptor farnesoid X receptor (FXR)
Wahiba Berrabah, Pierrette Aumercier, Céline Gheeraert, Hélène Dehondt, Emmanuel Bouchaert, Jérémy Alexandre, Maheul Ploton, Claire Mazuy, Sandrine Caron, Anne Tailleux, Jérôme Eeckhoutte, Tony Lefebvre, Bart Staels,* and Philippe Lefebvre.
Wiley Online Library, Volume 59, Issue 5, pages 2022–2033, May 2014, 2014 03 24; DOI : 10.1002/hep.26710

Tissue kallikrein deficiency, insulin resistance, and diabetes in mouse and man
Potier L, Waeckel L, Fumeron F, Bodin S, Fysekidis M, Chollet C, Bellili N, Bonnet F, Gusto G, Velho G, Marre M, Alhenc-Gelas F, Roussel R, Bouby N; DESIR Study Group.
J. of Endocrinology, 221 (2) 297-308, 2014 03 05; DOI : 10.1530/JOE-13-0529
WEB >> <http://joe.endocrinology-journals.org/content/221/2/297.short>

Disturbed intestinal nitrogen homeostasis in a mouse model of high-fat diet-induced obesity and glucose intolerance
Thi Thu Huong Do , Patrick Hindlet , Anne-Judith Waligora-Dupriet , Nathalie Kapel , Nathalie Neveux , Virginie Mignon , Claudine Deloménie , Robert Farinotti , Bruno Fève , Marion Buyse
Am J Physiol Endocrinol Metab., 306(6):E668-80, 2014 03; DOI : 10.1152/ajpendo.00437.2013

Beneficial effects of a N-terminally modified GIP agonist on tissue-level bone material properties
Guillaume Mabileau, Aleksandra Mieczkowska, Nigel Irwinc, Yannick Simona, Maurice Audranad, Peter R. Flattc, Daniel Chapparda
Science Direct, Volume 63, June 2014, Pages 61–68, 2014 02 21; DOI : 10.1016/j.bone.2014.02.013
WEB >>

Chronic exposure to low doses of pharmaceuticals disturbs the hepatic expression of circadian genes in lean and obese mice

Sébastien Anthérieux, Dounia Le Guilloua, Cédric Coulouarna, Karima Begriche, Viviane Trak-Smayrab, Sophie Martinais, Mathieu Porceddu, Marie-Anne Robina, Bernard Fromenty

Science Direct, Volume 276, Issue 1, 1 April 2014, Pages 63–72, 2014 02 11; DOI : 10.1016/j.taap.2014.01.019

Akt-mediated cardioprotective effects of aldosterone in type 2 diabetic mice

Loubina Fazal, Feriel Azibani, Nicolas Bihry, Guillaume Coutance, Evelyne Polidano, Régine Merval, Nicolas Vodovar, Jean-Marie Launay, Claude Delcayre and Jane-Lise Samuel

FASEB J., , 2014 02 10

Short- and long-term effects of maternal perinatal undernutrition are lowered by cross-fostering during lactation in the male rat.

J.-S. Watteza, F. Delahaye, L. F. Barellea, A. Dickes-Coopmana, V. Montela, C. Bretona, P. Mathiasa, B. Folignea, J. Lesagea and D. Vieaua

J Dev Orig Health Dis, Volume 5 / Issue 02 / April 2014, pp 109-120, 2014 01 10; DOI : 10.1017/S2040174413000548

WEB >> <http://journals.cambridge.org/action/displayAbstract?fromPage=online&aid=9196242&fileId=S2040174413000548>

A genome-wide scan for signatures of differential artificial selection in ten cattle breeds

Sophie Rothhammer¹, Doris Seichter², Martin Förster¹ and Ivica Medugorac^{1*}

BMC Genomics , , 2013 12 21; DOI : 10.1186/1471-2164-14-908

WEB >> <http://www.biomedcentral.com/1471-2164/14/908/>

Modification of energy balance induced by the food contaminant T-2 toxin: A multimodal gut-to-brain connection

Stéphanie Gaigéa, Mehdi Djelloula, Catherine Tardivela, Coraline Airault, Bernadette Félix, André Jeana, Bruno Lebruna, Jean-Denis Troadeca, Michel Dallaportaa

Brain Behav Immun, Volume 37, March 2014, Pages 54–72, 2013 12 16; DOI : 10.1016/j.bbi.2013.12.008

WEB >> <http://www.sciencedirect.com/science/article/pii/S088915911300593X>

Disturbances in cholesterol, bile acid and glucose metabolism in peroxisomal 3-ketoacylCoA thiolase B deficient mice fed diets containing high or low fat contents

Valérie Nicolas-Francèsa, Ségolène Arnauda, Jacques Kaminskia, Emiel Ver Loren van Themaat, Marie-Claude Clémenceta, Julie Chamoutona, Anne Athiasd, Jacques Groberf, Joseph Grestia, Pascal Degracea, Laurent Lagrostf, Norbert Latruffea, Stéphane Mandarda

Science Direct, Volume 98, March 2014, Pages 86–101, 2013 11 25; DOI : 10.1016/j.biochi.2013.11.014

ChemR23 knockout mice display mild obesity but no deficit in adipocyte differentiation

Rouger L, Denis GR, Luangsay S, Parmentier M.

J. of Endocrinology, 219(3):279-89, 2013 11 07; DOI : 10.1530/JOE-13-0106

WEB >> <http://joe.endocrinology-journals.org/content/219/3/279.short>

Lipopolysaccharides-mediated increase in glucose-stimulated insulin secretion: Involvement of the glucagon-like peptide 1 (GLP1) pathway.

Anh Thoi Nguyen, Stéphane Mandarda, Cédric Drayc, Valérie Deckerta, Philippe Valetc, Philippe Besnard, Daniel J Druckerd, Laurent Lagrosta, b ff and Jacques Grobera

American Diabetes Association, , 2013 10 29; DOI : 10.2337/db13-0903

WEB >> <http://diabetes.diabetesjournals.org/content/early/2013/10/29/db13-0903.short>

Pro-fibrotic activity of lysophosphatidic acid in adipose tissue: In vivo and in vitro evidence

Chloé Rancoulea, Manon Viauda, Sandra Gresa, Nathalie Vigueriea, Pauline Decaunesa, Anne Bouloumiéa, Dominique Langina, Jean-Loup Bascandsa, Philippe Valeta, Jean Sébastien Saulnier-Blachea,

ScienceDirect, , 2013 10 11

Leucine Supplementation Protects from Insulin Resistance by Regulating Adiposity Levels

Elke Binder Francisco; J. Bermúdez-Silva; Caroline André; Melissa Elie; Silvana Y. Romero-Zerbo; Thierry Leste-Lasserre; Ilaria Belluomo ;Adeline Duchamp; Samantha Clark; Agnes Aubert; Marco Mezzullo; Flaminia Fanelli; Uberto Pagotto

PLoS One, , 2013 09 25; DOI : 10.1371/journal.pone.0074705.s001

Leucine supplementation modulates fuel substrates utilization and glucose metabolism in previously obese mice

Elke Binder, Francisco Javier Bermúdez-Silva, Melissa Elie, Thierry Leste-Lasserre, Ilaria Belluomo, Samantha Clark, Adeline Duchamp, Gilles Mithieux, Daniela Cota.

The Obesity Society, , 2013 09 05; DOI : 10.1002/oby.20578

WEB >> <http://onlinelibrary.wiley.com/doi/10.1002/oby.20578/abstract>

Dietary fat without body weight gain increases in vivo MCF-7 human breast cancer cell growth and decreases natural killer cell cytotoxicity

Bruno Lamas, Rachida Nachat-Kappes, Nicolas Goncalves-Mendes, Florence Mishellany, Adrien Rossary, Marie-Paule Vasson, Marie-Chantal Farges

Molecular Carcinogenesis, , 2013 09 04; DOI : 10.1002/mc.22074

WEB >> <http://onlinelibrary.wiley.com/doi/10.1002/mc.22074/abstract?deniedAccessCustomisedMessage=&userIsAuthenticated=false>

Properties of myenteric neurons and mucosal functions in the distal colon of diet-induced obese mice.

Francois Reichardt, Charlotte Baudry, Lisa Gruber, Gemma Mazzuoli, Raphaël Moriez, Christian Scherling, Patrick Kollmann, Hannelore Daniel, Sigrid Kiesling, Dirk Haller, Michel Neunlist and Michael Schemann

J Physiol, , 2013 08 09; DOI : 10.1113/jphysiol.2013.262733

Glycogen Phosphorylase Inhibitor N-(3,5-Dimethyl-Benzoyl)-N'-(β-D-Glucopyranosyl)Urea Improves Glucose Tolerance under Normoglycemic and Diabetic Conditions and Rearranges Hepatic Metabolism

Lilla Nagy ; Tibor Doca ; Magdolna Szántó; Attila Brunyánszki; Csaba Hegedűs; Judit Márton; Bálint Kónya ; László Virág; László Somsák ; Pál Gergely ; Péter Bai

PLoS One, , 2013 07 25; DOI : 10.1371/journal.pone.0069420

Prevention of obesity and insulin resistance by estrogens requires ERα activation function-2 (ERαAF-2), whereas ERαAF-1 is dispensable.

Sandra Handgraaf, Elodie Riant, Aurélie Fabre, Aurélie Waget, Rémy Burcelin, Philippe Lière, Andrée Krust, Pierre Chambon, Jean-François Arnal and Pierre Gourdy

American Diabetes Association, , 2013 07 24; DOI : 10.2337/db13-0282

WEB >> <http://diabetes.diabetesjournals.org/content/early/2013/07/29/db13-0282.short>

HYPOTHALAMIC APELIN/ROS SIGNALING CONTROLS HEPATIC GLUCOSE METABOLISM IN THE ONSET OF DIABETES

Libertpub, , 2013 07 23; DOI : 10.1089/ars.2013.5182

WEB >> <http://online.liebertpub.com/doi/abs/10.1089/ars.2013.5182>

The induction of cardiac ornithine decarboxylase by β 2-adrenergic agents is associated with calcium channels and phosphorylation of ERK1/2

Andrés J. López-Contreras, María Eugenia de la Morena, Bruno Ramos-Molina, Ana Lambertos, Asunción Cremades, Rafael Peñafiel

Journal of Cellular Biochemistry, Volume 114, Issue 9

September 2013

A new pyrrolone compound selective for I1-imidazoline receptors improves metabolic syndrome in rats

Lyne Fellmann, Veronique Regnault, Hugues Greney, Vincent Gasparik, Adeline Muscat, Jean-Pierre Max, Luc Gigou, Valerie Orea, Gerard Chetrite, Anne Pizard, Nathalie Niederhoffer, Claude Julien, Patrick Lacolley, Bruno Feve, and Pascal Bousquet

The American Society for Pharmacology and Experimental Therapeutics, Number of pages: 38;Number of tables: 2;Number of figures: 7 ;Number of references: 58, 2013 07 01

Endurance training in mice increases the unfolded protein response induced by a high-fat diet

Louise Deldicque, Patrice D. Cani, Nathalie M. Delzenne, Keith Baar, Marc Francaux

J. of Physiology and Biochemistry , Volume 69, Issue 2, pp 215-225, 2013 06 01; DOI : 10.1007/s13105-012-0204-9

WEB >> <http://link.springer.com/article/10.1007/s13105-012-0204-9>

Lysophosphatidic acid impairs glucose homeostasis and inhibits insulin secretion in high-fat diet obese mice

C. Rancoule, C. Attané, S. Grès, A. Fournel, R. Dusaulcy, C. Bertrand, C. Vinel, K. Tréguer, M. Prentki, P. Valet, J. S. Saulnier-Blache

Diabetologia , Volume 56, Issue 6, pp 1394-1402, 2013 06; DOI : 10.1007/s00125-013-2891-3

WEB >> <http://link.springer.com/article/10.1007/s00125-013-2891-3>

Toll-Like Receptor 4 Knockout Mice Are Protected against Endoplasmic Reticulum Stress Induced by a High-Fat Diet

Nicolas Pierre, Louise Deldicque, Caroline Barbé, Damien Naslain, Patrice D. Cani, Marc Francaux

PLoS One, 8(5): e65061. doi:10.1371, 2013 05 31

WEB >> <http://www.plosone.org/article/authors/info%3Adoi%2F10.1371%2Fjournal.pone.0065061>

A novel metal-dye system for urinary phytate detection at micro-molar levels in rats

A. Costa-Bauza,*a F. Grases,a S. Fakierb and A. Rodriguezza

Analytical Methods, , 2013 04 18; DOI : 10.1039/C3AY26563C

WEB >> <http://pubs.rsc.org/en/content/articlelanding/2013/ay/c3ay26563c#divAbstract>

Sodium restriction prevents cardiovascular remodeling associated with insulin-resistance in the rat

C. Rugale, C. Oudot, C. Desmetz, C. Guzman, A. Lajoix, B. Jover,

Science Direct, Volume 62, Issue 3, June 2013, Pages 139–143, 2013 03 28; DOI : 10.1016/j.ancard.2013.03.001

WEB >> <http://www.sciencedirect.com/science/article/pii/S0003392813000243>

Retinoic Acid Deficiency Impairs the Vestibular Function

Raymond Romand, Wojciech Krezel, Mathieu Beranek, Laura Cammas, Valérie Fraulob, Nadia Messaddeq, Pascal Kessler, Eri Hashino and Pascal Dollé

The Journal of Neuroscience, , 2013 03 27; DOI : 10.1523/JNEUROSCI.4618-12.2013

WEB >> <http://www.jneurosci.org/content/33/13/5856.full.pdf&sa=U&ei=ML5oU-O8GqXk8AGz-oCgDw&ved=0CEcQFjAI&usq=AFQjCNGJTf4HzBzn5sXqUuOw425NriurQ>

Dietary supplementation with Agaricus blazei murill extract prevents diet-induced obesity and insulin resistance in rats.

Vincent M, Philippe E, Everard A, Kassis N, Rouch C, Denom J, Takeda Y, Uchiyama S, Delzenne NM, Cani PD, Migrenne S, Magnan C.

Obesity, 21(3):553-61, 2013 03; DOI : 10.1002/oby.20276

WEB >> <http://onlinelibrary.wiley.com/doi/10.1002/oby.20276/full>

Chronic treatment with myo-inositol reduces white adipose tissue accretion and improves insulin sensitivity in female mice.

Croze ML, Vella RE, Pillon NJ, Soula HA, Hadji L, Guichardant M, Soulage CO.

J Nutr Biochem., 24(2):457-66, 2013 02; DOI : 10.1016/j.jnutbio.2012.01.008

WEB >> <http://www.sciencedirect.com/science/article/pii/S095528631200040X>

Maternal calorie restriction modulates placental mitochondrial biogenesis and bioenergetic efficiency: putative involvement in fetoplacental growth defects in rats

American Journal of Physiology, Vol. 304 no. 1, E14-E22, 2013 01 01; DOI : 10.1152/ajpendo.00332.2012

WEB >> <http://ajpendo.physiology.org/content/304/1/E14>

Peripheral injections of melanin-concentrating hormone receptor 1 antagonist S38151 decrease food intake and body weight in rodent obesity models

Odile Della-Zuana, Valérie Audinot, Viviane Levenez, Alain Ktorza, Françoise Presse, Jean-Louis Nahon, and Jean A. Boutin

Frontiers in Endocrinology, , 2012 12 21; DOI : 10.3389/fendo.2012.00160

WEB >> <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3527734/>

In situ production of innate immune cells in murine white adipose tissue

Sandrine Poglio, Fabienne De Toni, Daniel Lewandowski, Adeline Minot, Emmanuelle Arnaud, Vilma Barroca, Patrick Laharrague, Louis Casteilla, and Béatrice Cousin

Blood journal, , 2012 12 13

WEB >> <http://www.bloodjournal.org/content/120/25/4952?ssoc-checked=true>

Intestinal microbiota determines development of non-alcoholic fatty liver disease in mice

Tiphaine Le Roy, Marta Llopis, Patricia Lepage, Aurélie Bruneau, Sylvie Rabot, Claudia Bevilacqua, Patrice Martin, Catherine Philippe, Francine Walker, André Bado, Gabriel Perlemuter, Anne-Marie Cassard-Doulcier, Philippe Gérard

Gut, Gut 2013;62:1787-1794, 2012 11 29; DOI : 10.1136/gutjnl-2012-303816

WEB >>

<http://gut.bmj.com/content/62/12/1787.abstract?maxtoshow=&HITS=10&hits=10&RESULTFORMAT=&fulltext=safe+augy&andexactfulltext=and&searchid=1&FIRSTINDEX=30>

Hypothalamic AgRP-neurons control peripheral substrate utilization and nutrient partitioning

Joly-Amado A1, Denis RG, Castel J, Lacombe A, Cansell C, Rouch C, Kassis N, Dairou J, Cani PD, Ventura-Clapier R, Prola A, Flamment M, Fougelle F, Magnan C, Luquet S.

The EMBO Journal, 31(22):4276-88, 2012 11; DOI : 10.1038/emboj.2012.250

WEB >>

The role of Odontella aurita, a marine diatom rich in EPA, as a dietary supplement in dyslipidemia, platelet function and oxidative stress in high-fat fed rats.

Haimour A, Ulmann L, Mimouni V, Guéno F, Pineau-Vincent F, Meskini N, Tremblin G.

Lipids Health Dis., 11:147., 2012 10 31; DOI : 10.1186/1476-511X-11-147

WEB >> <http://www.lipidworld.com/content/11/1/147>

Food restriction-induced hyperactivity: Addiction or adaptation to famine?

Martine Duclos, Amel Ouerdanid, Pierre Morméded, Jan Pieter Konsmand

Science Direct, 2012 10 08; DOI : 10.1016/j.psyneuen.2012.09.012

WEB >> <http://www.sciencedirect.com/science/article/pii/S0306453012003289>

Type 2 Diabetes Mellitus in Mice Aggravates the Renal Impact of Hemorrhagic Shock

Dupuy, Virginie; Mayeur, Nicolas; Buléon, Marie; Jaafar, Acil; Al Saati, Talal; Schaak, Stéphane; Praddaude, Françoise; Minville, Vincent; Tack, Ivan

SCHOCK Journal, Volume 38 - Issue 4 - p 351–355, 2012 10 ; DOI : 10.1097/SHK.0b013e318268810f

WEB >> http://journals.lww.com/shockjournal/Abstract/2012/10000/Type_2_Diabetes_Mellitus_in_Mice_Aggravates_the.4.aspx

Effects of thiamine deficiency on food intake and body weight increment in adult female and growing rats

Bâ, Abdoulaye

Behavioural Pharmacology, Volume 23 - Issue 5 and 6 - p 575–581, 2012 09; DOI : 10.1097/FBP.0b013e32835724a1

WEB >> http://journals.lww.com/behaviouralpharm/Abstract/2012/09000/Effects_of_thiamine_deficiency_on_food_intake_and.13.aspx

SOCS2 deletion protects against hepatic steatosis but worsens insulin resistance in high-fat-diet-fed mice

Fahad Zadjali, Ruyman Santana-Farre, Mattias Vesterlund, Berit Carow, Mercedes Mirecki-Garrido, Irene Hernandez-Hernandez, Malin Flodström-Tullberg, Paolo Parini,

Martin Rotenberg, Gunnar Norstedt, Leandro Fernandez-Perez and Amílcar Flores-Morales

The FASEB Journal, vol. 26 no. 8 3282-3291, 2012 08 ; DOI : 10.1096/fj.12-205583

Properties of subependymal cerebrospinal fluid contacting neurones in the dorsal vagal complex of the mouse brainstem

Adeline Orts-Del'Immagine, Nicolas Wanaverbecq, Catherine Tardivel, Vanessa Tillement, Michel Dallaporta and Jérôme Trouslard

The Journal of Physiology, Volume 590, Issue 16, pages 3719–3741, August 2012, 2012 06 11; DOI : 10.1113/jphysiol.2012.227959

WEB >> <http://onlinelibrary.wiley.com/doi/10.1113/jphysiol.2012.227959/abstract>

CD36 Inhibitors Reduce Postprandial Hypertriglyceridemia and Protect against Diabetic Dyslipidemia and Atherosclerosis

Alain Geleen, Lionel Helin, Benjamin Geeraert, Eric Malaud, Paul Holvoet, Gerard Marguerie

PLoS One, 2012 05 25 ; DOI : 10.1371/journal.pone.0037633

WEB >> <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0037633>

Factors other than genotype account largely for the phenotypic variation of the pulmonary valve in Syrian hamsters

M. Carmen Fernández, Ana C. Durán, Borja Fernández, Josep M. Arqué, Robert H. Anderson and Valentín Sans-Coma

Journal of Anatomy, Volume 221, Issue 1, pages 30–38, July 2012, 2012 05 17; DOI : 10.1111/j.1469-7580.2012.01512.x

WEB >> <http://onlinelibrary.wiley.com/doi/10.1111/j.1469-7580.2012.01512.x/full>

Increased homocysteinemia is associated with beneficial effects on body weight after long-term high-protein, low-fat diet in rats

Bernard Beck, Carine Bossenmeyer-Pouré, Elise Jeannesson, Sébastien Richy, Jean-Louis Guéant

Nutrition Journal, Volume 28, Issue 9, Pages 932–936, 2012 05 04; DOI : 10.1016/j.nut.2011.12.015

WEB >> [http://www.nutritionjnl.com/article/S0899-9007\(12\)00008-1/abstract](http://www.nutritionjnl.com/article/S0899-9007(12)00008-1/abstract)

Impact of salt on cardiac differential gene expression and coronary lesion in normotensive mineralocorticoid-treated mice

Qing Wang, Andrea A. Domenighetti, Stephan C. Schäfer, Johannes Weber, Alexandra Simon, Marc P. Maillard, Thierry Pedrazzini, Ju Chen, Hans-

Anton Lehr, Michel Burnier

APS Journals, Vol. 302 no. 9., 2012 05 01; DOI : 10.1152/ajpregu.00387.2011

Prevention of gut leakiness by a probiotic treatment leads to attenuated HPA response to an acute psychological stress in rats

Aïffa Ait-Belgnaouia, Henri Durand, Christel Cartiera, Gilles Chaumaza, Hélène Eutamenea, Laurent Ferriera, Eric Houdeau, Jean Fioramontia, Lionel Buena, Vassilia

Theodoroua

Science Direct, Volume 37, Issue 11, November 2012, Pages 1885–1895, 2012 04 25; DOI : 10.1016/j.psyneuen.2012.03.024

Adipocytes Secrete Leukotrienes

Contribution to Obesity-Associated Inflammation and Insulin Resistance in Mice

Isabelle Mothe-Satney, Chantal Filloux, Hind Amghar, Catherine Pons, Virginie Bourlier, Jean Galitzky, Paul A. Grimaldi, Chloé C. Féral, Anne Bouloumié, Emmanuel Van

Obberghen and Jaap G. Neels

Methylglyoxal promotes oxidative stress and endothelial dysfunction

Cristina M. Senaa, Paulo Matafomea, Joana Crisóstomoa, Lisa Rodriguesa, Rosa Fernandesb, Paulo Pereirab, Raquel M. Seicaa

Science Direct, Volume 65, Issue 5, May 2012, Pages 497–506, 2012 03 16; DOI : 10.1016/j.phrs.2012.03.004

WEB >> <http://www.sciencedirect.com/science/article/pii/S1043661812000448>

Up-regulation of intestinal type 1 taste receptor 3 and sodium glucose luminal transporter-1 expression and increased sucrose intake in mice lacking gut microbiota

T. D. Swartz, F. A. Duca, T. de Wouters, Y. Sakar, and M. Covasa

Br J Nutr., 107 : pp 621-630, 2012 03 14

WEB >> <http://journals.cambridge.org/action/displayAbstract?fromPage=online&aid=8487228>

The PPAR α Agonist Fenofibrate Reduces Prepulse Inhibition Disruption in a Neurodevelopmental Model of Schizophrenia

Benjamin Rolland, Kevin Marche, Olivier Cottencin, and Régis Bordet

Schizophrenia Research and Treatment, Volume 2012, Article ID 839853, 5 pages, 2012 03 13; DOI : 10.1155/2012/839853

WEB >> [file:///C:/Users/epetit/Downloads/839853%20\(2\).pdf](file:///C:/Users/epetit/Downloads/839853%20(2).pdf)

High-Fat and Fructose Intake Induces Insulin

Resistance, Dyslipidemia, and Liver Steatosis

and Alters In Vivo Macrophage-to-Feces Reverse

Cholesterol Transport in Hamsters 1–3

Pref-1 in brown adipose tissue: specific involvement in brown adipocyte differentiation and regulatory role of C/EBP δ

Jordi Armengol, Josep A Villena, Elayne Hondares, María C Carmona, Hei Sook Sul, Roser Iglesias, Marta Giralt and Francesc Villarroya

Biochemical J., 2012 02 13

WEB >> <http://www.biochemj.org/bj/imps/abs/BJ20111714.htm>

Pentoxifylline aggravates fatty liver in obese and diabetic ob/ob mice by increasing intestinal glucose absorption and activating hepatic lipogenesis
J Massart, MA Robin, F Noury, A Fautrel, P Lettéron, A Bado, PA Eliat and B Fromenty
Wiley Online Library, Volume 165, Issue 5, pages 1361–1374, March 2012, 2012 02 10; DOI : 10.1111/j.1476-5381.2011.01580.x
WEB >> <http://onlinelibrary.wiley.com/doi/10.1111/j.1476-5381.2011.01580.x/full>

Ripened Dairy Products Differentially Affect Hepatic Lipid Content and Adipose Tissue Oxidative Stress Markers in Obese and Type 2 Diabetic Mice
Lucie Geurts, Amandine Everard, Pascale le Ruyet, Nathalie M. Delzenne, and Patrice D. Cani
J. of agricultural and food chemistry, , 2012 02 02
WEB >> <http://pubs.acs.org/doi/abs/10.1021/jf204916x>

Diet-induced obesity has neuroprotective effects in murine gastric enteric nervous system: involvement of leptin and glial cell line-derived neurotrophic factor
Baudry C, Reichardt F, Marchix J, Bado A, Schemann M, des Varannes SB, Neunlist M, Moriez R.
J Physiol, 590(Pt 3):533-44, 2012 02 01; DOI : 10.1113/jphysiol.2011.219717
WEB >> <http://jp.physoc.org/content/590/3/533.short>

Diet-induced obesity has neuroprotective effects in murine gastric enteric nervous system: involvement of leptin and glial cell line-derived neurotrophic factor.
Baudry C1, Reichardt F, Marchix J, Bado A, Schemann M, des Varannes SB, Neunlist M, Moriez R.
J Physiol, 590(3):533-44, 2012 02 01; DOI : 10.1113/jphysiol.2011.219717
WEB >> <http://www.ncbi.nlm.nih.gov/pubmed/22124147>

Low doses of bisphenol a induce gene expression related to lipid synthesis and trigger triglyceride accumulation in adult mouse liver
Marmugi A, Ducheix S, Lasserre F, Polizzi A, Paris A, Priymenko N, Bertrand-Michel J, Pineau T, Guillou H, Martin PG, Mselli-Lakhal L.
Hepatology, Volume 55, Issue 2, pages 395–407, 2012 02
WEB >> <http://onlinelibrary.wiley.com/doi/10.1002/hep.24685/abstract>

Activated platelets contribute to oxidized low-density lipoproteins and dysfunctional high-density lipoproteins through a phospholipase A2-dependent mechanism
Blache D, Gautier T, Tietge UJ, Lagrost L.
FASEB J., 26(2):927-37, 2012 02
WEB >> <http://www.fasebj.org/content/early/2011/10/28/fj.11-191593.short>

Diet-induced obesity affects expression of adiponutrin/PNPLA3 and adipose triglyceride lipase, two members of the same family
P Oliver, A Caimari, R Díaz-Rúa and A Palou
International J. of Obesity, 36, 225-232, 2012 02; DOI : 10.1038/ijo.2011.92
WEB >> <http://www.nature.com/ijo/journal/v36/n2/full/ijo201192a.html>

Antagonism of peripheral hepatic cannabinoid receptor-1 improves liver lipid metabolism in mice: Evidence from cultured explants†
Tony Jourdan, Laurent Demizieux, Joseph Gresti, Louiza Djaouti, Lila Gaba, Bruno Vergès and Pascal Degrace
Hepatology, Volume 55, Issue 3, pages 790–799, March 2012, 2012 01 30; DOI : 10.1002/hep.24733
WEB >> <http://onlinelibrary.wiley.com/doi/10.1002/hep.24733/full>

Chronic dietary supplementation of proanthocyanidins corrects the mitochondrial dysfunction of brown adipose tissue caused by diet-induced obesity in Wistar rats
David Pajuelo, Helena Quesada, Sabina Díaz, Anabel Fernández-Iglesias, Anna Arola-Arnal, Cinta Bladé, Josepa Salvadó and Lluís Arola
Br J Nutr., 107 : pp 170-178, 2012 01 28; DOI : 10.1017/S0007114511002728
WEB >> <http://journals.cambridge.org/action/displayAbstract?fromPage=online&aid=8476718>

Regulation of hepatic mitochondrial metabolism in response to a high fat diet: a longitudinal study in rats
Méïssa Flamment, Jennifer Rieusset, Hubert Vidal, Gilles Simard, Yves Malhiéry, Bernard Fromenty and Pierre-Henri Ducluzeau
J Nutr Biochem., , 2012 01 26
WEB >> <http://www.springerlink.com/content/4708611vk153u42g/>

Normalizing action of exendin-4 and GLP-1 on the glucose metabolism of extrapancreatic tissues in insulin resistant and type 2 diabetic states
Moreno P, Nuche-Berenguer B, Gutiérrez-Rojas I, Acitores A, Sancho V, Valverde I, González N, Villanueva-Peñacarrillo ML.
J. of Molecular Endocrinology, 48(1):37-47, 2012 01 25
WEB >> <http://jme.endocrinology-journals.org/content/early/2011/11/07/JME-11-0127.abstract>

Metabolic Fate of 2,4-Dichlorophenol and Related Plant Residues in Rats
Sophie Pascal-Lorber, Sabrina Despoux, Emilién L. Jamin, Cécile Canlet, Jean-Pierre Cravedi, and François Laurent
J Agric Food Chem, , 2012 01 25; DOI : 10.1021/jf203666k
WEB >> <http://pubs.acs.org/doi/abs/10.1021/jf203666k>

Chronic caffeine intake decreases circulating catecholamines and prevents diet-induced insulin resistance and hypertension in rats
Silvia V. Conde, Tiago Nunes da Silva, Constancio Gonzalez, Miguel Mota Carmo, Emilia C. Monteiro and Maria P. Guarino
Br J Nutr., 107 : pp 86-95, 2012 01 14; DOI : 10.1017/S0007114511002406
WEB >> <http://journals.cambridge.org/action/displayAbstract?fromPage=online&aid=8473981>

Sex-dependent differences in rat hepatic lipid accumulation and insulin sensitivity in response to diet-induced obesity
Antónia Nadal-Casellas, Ana Maria Proenza, Isabel Lladó, Magdalena Gianotti
Biochimie et biologie cellulaire, , 2012 01 11
WEB >> <http://www.nrcresearchpress.com/doi/abs/10.1139/o11-069>

Reduction of endoplasmic reticulum stress using chemical chaperones or Grp78 overexpression does not protect muscle cells from palmitate-induced insulin resistance
Rieusset J, Chauvin MA, Durand A, Bravard A, Laugerette F, Michalski MC, Vidal H.
Biochemical and Biophysical Research Communications, 417(1):439-45, 2012 01 06
WEB >> <http://www.sciencedirect.com/science/article/pii/S0006291X11021632>

Role of IGFBP-3 in the Regulation of β -Cell Mass during Obesity: Adipose Tissue/ β -Cell Cross Talk
Nuria Palau, Sandra A. Rebuffat, Jordi Altirriba, Sandra Piquer, Felicia A. Hanzu, Ramon Gomis and Albert Barbera
Endocrinology, vol. 153 no. 1 177-187, 2012 01 01
WEB >> <http://endo.endojournals.org/content/153/1/177.short>

Wheat-derived arabinosyl oligosaccharides with prebiotic effect increase satiogenic gut peptides and reduce metabolic endotoxemia in diet-induced obese mice
A M Neyrinck, V F Van Hée, N Piront, F De Backer, O Toussaint, P D Cani and N M Delzenne
Nutrition and Diabetes, page 2, e28, 2012
WEB >> <http://www.nature.com/nutd/journal/v2/n1/abs/nutd201124a.html>

Low doses of bisphenol A induce gene expression related to lipid synthesis and trigger triglyceride accumulation in adult mouse liver
Alice Marmugi, Simon Ducheix, Frédéric Lasserre, Arnaud Polizzi, Alain Paris, Nathalie Priyenko, Justine Bertrand-Michel, Thierry Pineau, Hervé Guillou, Pascal G.P. Martin and Laïla Mselli-Lakhal
Hepatology, Volume 55, Issue 2, pages 395–407, February 2012, 2011 12 22
WEB >> <http://onlinelibrary.wiley.com/doi/10.1002/hep.24685/full>

Spreading intake of a leucine-rich fast protein in energy-restricted overweight rats does not improve protein mass
Solange Adechian, Didier Rémond, Claire Gaudichon, Corinne Pouyet, Dominique Dardevet, Laurent Mosoni
ScienceDirect, Volume 28, Issue 5, May 2012, Pages 566–571, 2011 12 20; DOI : 10.1016/j.nut.2011.08.020
WEB >> <http://www.sciencedirect.com/science/article/pii/S0899900711003170>

Hypothalamic serotonin–insulin signaling cross-talk and alterations in a type 2 diabetic model
Ioannis Papazoglou, Flavien Berthoua, Nicolas Vicaire, Claude Rouchc, Eirini M. Markakic, Danielle Bailbed, Bernard Porthad, Mohammed Taouisa, Kyriaki Gerozissisa
Science Direct, Volume 350, Issue 1, 5 March 2012, Pages 136–144, 2011 12 19; DOI : 10.1016/j.mce.2011.12.007
WEB >> <http://www.sciencedirect.com/science/article/pii/S0303720711007313>

Phloridzin reduces blood glucose levels and improves lipids metabolism in streptozotocin-induced diabetic rats
Mahmood Najafian, Mohammad Zareain Jahromi, Mohammad Javad Nowroznejhad, Parastoo Khajeaian, Mohammad Mehdi Kargar, Mehdi Sadeghi and Amir Arasteh
Molecular Biology Reports, , 2011 12 13
WEB >> <http://www.springerlink.com/content/x600126nr311m504/abstract/>

Carbon tetrachloride-mediated lipid peroxidation induces early mitochondrial alterations in mouse liver
Laetitia Knockaert, Alain Berson, Catherine Ribault, Pierre-Emmanuel Prost, Alain Fautrel, Julie Pajaud, Sylvie Lepage, Catherine Lucas-Clerc, Jean-Marc Bégue, Bernard Fromenty and Marie-Anne Robin
Laboratory Investigation, , 2011 12 12; DOI : 10.1038/labinvest.2011.193

Energy restriction and exercise modulate angiopoietins and vascular endothelial growth factor expression in the cavernous tissue of high-fat diet-fed rats.
Inês Tomada, Nuno Tomada, Henrique Almeida and Delminda Neves
Asian Journal of Andrology, , 2011 12 05; DOI : 10.1038/aja.2011.131
WEB >> <http://www.nature.com/aja/journal/vaop/ncurrent/full/aja2011131a.html>

Pathology of the liver in obese and diabetic ob/ob and db/db mice fed a standard or high-calorie diet
Viviane Trak-Smayra, Valérie Paradis, Julie Massart, Selim Nasser, Victor Jebara, Bernard Fromenty
International J. of Experimental Pathology, Volume 92, Issue 6, pages 413–421, 2011 12
WEB >> <http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2613.2011.00793.x/full>

Differential Effects of Acute (Extenuating) and Chronic (Training) Exercise on Inflammation and Oxidative Stress Status in an Animal Model of Type 2 Diabetes Mellitus
Edite Teixeira de Lemos, Rui Pinto, Jorge Oliveira, Patrícia Garrido, José Sereno, Filipa Mascarenhas-Melo, João Páscoa-Pinheiro, Frederico Teixeira, and Flávio Reis
Mediators of Inflammation, Volume 2011, Article ID 253061, 8 pages, 2011 11 15
WEB >> <http://www.hindawi.com/journals/mi/2011/253061/>

Normalizing action of exendin-4 and GLP-1 in the glucose metabolism of extrapancreatic tissues in insulin-resistant and type 2 diabetic states
Paola Moreno, Bernardo Nuche-Berenguer, Irene Gutiérrez-Rojas, Alicia Acitores, Verónica Sancho, Isabel Valverde, Nieves González and María L Villanueva-Peñacarrillo
Society for Endocrinology, , 2011 11 07; DOI : 10.1530/JME-11-0127
WEB >> <http://jme.endocrinology-journals.org/content/48/1/37.short>

Role of Islet Culture on Angiogenic and Inflammatory Mechanisms
K. Vivot, N. Jeandidier, C. Dollinger, W. Bietiger, M. Pinget, S. Sigrist, A. Langlois
Transplantation Proceedings, Volume 43, Issue 9, Pages 3201–3204, 2011 11
WEB >> <http://www.sciencedirect.com/science/article/pii/S0041134511013753>

Implication of Low Level Inflammation in the Insulin Resistance of Adipose Tissue at Late Pregnancy
J. de Castro, J. Sevillano, J. Marciniak, R. Rodríguez, C. González-Martín, M. Viana, O. H. Eun-suk, S. Hauguel de Mouzon, E. Herrera and M. P. Ramos
Endocrinology, vol. 152 no. 11 4094-4105, 2011 11
WEB >> <http://endo.endojournals.org/content/152/11/4094.short>

Effects of Nori- and Wakame-enriched meats with or without supplementary cholesterol on arylesterase activity, lipaemia and lipoproteinaemia in growing Wistar rats.
Olivero-David R, Schultz-Moreira A, Vázquez-Velasco M, González-Torres L, Bastida S, Benedi J, Sanchez-Reus MI, González-Muñoz MJ, Sánchez-Muniz FJ.
Br J Nutr., 106(10):1476-86, 2011 11
WEB >> <http://journals.cambridge.org/action/displayAbstract?fromPage=online&aid=8425832>

Sleep structure and feeding pattern changes induced by the liver's thermal status in the rat
FATIM-ZOHRRA EL HAJJAJI, AMANDINE PELLETTIER, STÉPHANE DELANAUD, JEAN-PIERRE LIBERT, VÉRONIQUE BACH and NATHALIE LOOS
J Sleep Res, Volume 21, Issue 2, pages 204–211, April 2012, 2011 10 13; DOI : 10.1111/j.1365-2869.2011.00973.x
WEB >> https://scholar.google.fr/scholar?start=100&q=Uar+%2B+obesity&hl=fr&as_sdt=0.5&as_ylo=2012&as_yhi=2015

Dietary Cholesterol-Induced Post-Testicular Infertility
Duriéla Ouvrier, Georges Alves, Christelle Damon-Soubeyrand, Geoffroy Marceau, Rémi Cadet, Laurent Janny, Florence Brugnon, Ayhan Kocer, Aurélien Pommier, Jean-Marc A. Lobaccaro, Joël R. Drevet, Fabrice Saez
PLoS One, 6(11): e26966, 2011 10 06; DOI : 10.1371/journal.pone.0026966

D-Fagomine lowers postprandial blood glucose and modulates bacterial adhesion

Gómez L, Molinar-Toribio E, Calvo-Torras MA, Adelantado C, Juan ME, Planas JM, Cañas X, Lozano C, Pumarola S, Clapés P, Torres JL.

Br J Nutr., page 1 - 8, 2011 10 03

WEB >> <http://journals.cambridge.org/action/displayAbstract?fromPage=online&aid=8394632>

Phytotherapy in a rat model of hyperoxaluria: the antioxidant effects of quercetin involve serum paraoxonase 1 activation

Amengual-Cladera E, Nadal-Casellas A, Gómez-Pérez Y, Gomila I, Prieto RM, Proenza AM, Lladó I.

Experimental Biology and Medicine, 236(10):1133-8, 2011 10 01; DOI : 10.1258/ebm.2011.011090

WEB >> <http://ebm.rsmjournals.com/content/236/10/1133.short>

Effects of ovariectomy and 17- β estradiol replacement on rat brown adipose tissue mitochondrial function

Nadal-Casellas A, Proenza AM, Lladó I, Gianotti M.

Steroids, 76(10-11):1051-6, 2011 10

WEB >> <http://www.sciencedirect.com/science/article/pii/S0039128X11001425>

Amylin effect in extrapancreatic tissues participating in glucose homeostasis, in normal, insulin-resistant and type 2 diabetic state

Moreno P, Acitores A, Gutiérrez-Rojas I, Nucho-Berenguer B, El Assar M, Rodríguez-Mañas L, Gomis R, Valverde I, Visa M, Malaisse WJ, Novials A, González N, Villanueva-Peñacarrillo ML.

Peptides, Volume 32, Issue 10, Pages 2077–2085, 2011 10

Adipose triglyceride lipase expression and fasting regulation are differently affected by cold exposure in adipose tissues of lean and obese Zucker rats

Antoni Caimari, Paula Oliver, Andreu Palou

J Nutr Biochem., , 2011 09 22

WEB >> <http://www.sciencedirect.com/science/article/pii/S0955286311001720>

Intestinal mucosal adherence and translocation of commensal bacteria at the early onset of type 2 diabetes: molecular mechanisms and probiotic treatment

EMBO Molecular Medicine, Volume 3, Issue 9, pages 559–572, 2011 09; DOI : 10.1002/emmm.201100159

WEB >> <http://onlinelibrary.wiley.com/doi/10.1002/emmm.201100159/full>

Maternal prenatal undernutrition programs adipose tissue gene expression in adult male rat offspring under high-fat diet

Marie-Amélie Lukaszewski, Sylvain Mayeur, Isabelle Fajardy, Fabien Delahaye, Isabelle Dutriez-Casteloot, Valérie Montel, Anne Dickes-Coopman, Christine Laborie, Jean Lesage, Didier Vieau, and Christophe Breton

Am. J. Physiol Endocrinol Metab., vol. 301 no. 3 E548-E559 , 2011 09; DOI : 10.1152/ajpendo.00011.2011

WEB >> <http://ajpendo.physiology.org/content/301/3/E548.short>

Citral as a potential antihyperlipidemic medicine in diabetes: a study on streptozotocin-induced diabetic rats

Mahmoud Najafian, Azadeh Ebrahim-Habibi, Parichehreh Yaghmaei, Kazem Parivar, Bagher Larjani

Iranian Journal of Diabetes and Lipid Disorders, Vol 10, pp 1- 8, 2011 08 23

WEB >> http://journals.tums.ac.ir/abs.aspx?org_id=59&culture_var=en&journal_id=27&issue_id=2070&manuscript_id=19069&segment=en

Glucose 6-phosphate, rather than xylulose 5-phosphate, is required for the activation of ChREBP in response to glucose in the liver

Renaud Dentin^{1, 2, 3}, Lidia Tomas-Cobos^{4, 5, ‡}, Fabienne Foufelle^{4, 5}, Jane Leopold⁶, Jean Girard^{1, 2, 3}, Catherine Postic^{1, 2, 3, , †}, Pascal Ferré^{4, 5, †}

Science Direct, Volume 56, Issue 1, January 2012, Pages 199–209, 2011 08 09; DOI : 10.1016/j.jhep.2011.07.019

WEB >> <http://www.sciencedirect.com/science/article/pii/S016827811006131>

Physiological and Pharmacological Mechanisms through which the DPP-4 Inhibitor Sitagliptin Regulates Glycemia in Mice

Waget A, Cabou C, Masseboeuf M, Cattan P, Armanet M, Karaca M, Castel J, Garret C, Payros G, Maida A, Sulpice T, Holst JJ, Drucker DJ, Magnan C, Burcelin R.

Endocrinology, 152(8):3018-29, 2011 08

WEB >> <http://endo.endojournals.org/content/152/8/3018.short>

GLUT2 Accumulation in Enterocyte Apical and Intracellular Membranes A Study in Morbidly Obese Human Subjects and ob/ob and High Fat–Fed Mice

American Diabetes Association, Diabetes October 2011 vol. 60 no. 10 2598-2607 , 2011 07 31; DOI : 10.2337/db10-1740/-DC1.

WEB >>

Improvement of Mitochondrial Function in Muscle of Genetically Obese Rats after Chronic Supplementation with Proanthocyanidins

David Pajuelo, Anabel Fernández-Iglesias, Sabina Díaz, Helena Quesada, Anna Arola-Arnal, Cinta Bladé, Josepa Salvadó, and Lluís Arola

J. of agricultural and food chemistry, 59 (15), pp 8491–8498, 2011 07 05

WEB >> <http://pubs.acs.org/doi/abs/10.1021/jf201775v?mi=vf0gvl&af=R&pageSize=20&title=mitochondrial>

Multiple cycles of repeated treatments with a Phaseolus vulgaris dry extract reduce food intake and body weight in obese rats.

Carai MA, Fantini N, Loi B, Colombo G, Gessa GL, Riva A, Bombardelli E, Morazzoni P.

Br J Nutr., 106(5):762-8, 2011 07

WEB >> <http://journals.cambridge.org/action/displayAbstract?fromPage=online&aid=8359129>

Sex-Dependent Effects of High-Fat-Diet Feeding on Rat Pancreas Oxidative Stress

Gómez-Pérez, Yolanda PhD; Gianotti, Magdalena PhD; Lladó, Isabel PhD; Proenza, Ana M. PhD

Pancreas, 40(5):682-8, 2011 07; DOI : 10.1097/MPA.0b013e31821f2645

WEB >> http://journals.lww.com/pancreasjournal/Abstract/2011/07000/Sex_Dependent_Effects_of_High_Fat_Diet_Feeding_on_9.aspx

Probiotic Effects of Wheat Arabinoxylan Related to the Increase in Bifidobacteria, Roseburia and Bacteroides/Prevotella in Diet-Induced Obese Mice

Neyrinck AM, Possemiers S, Duart C, Van de Wiele T, De Backer F, et al.

PLoS One, 6(6): e20944, 2011 06 09

WEB >> <http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0020944>

Farnesoid X receptor deficiency improves glucose homeostasis in mouse models of obesity.

Prawitt J, Abdelkarim M, Stroeve JH, Popescu I, Duez H, Velagapudi VR, Dumont J, Bouchaert E, van Dijk TH, Lucas A, Dorchie E, Daoudi M, Lestavel S, Gonzalez FJ, Oresic M, Cariou B, Kuipers F, Caron S, Staels B.
Diabetes, 60(7):1861-71, 2011 06

Adipose-specific disruption of autotaxin enhances nutritional fattening and reduces plasma lysophosphatidic acid

Dusaulcy R, Rancoule C, Grès S, Wanecq E, Colom A, Guigné C, van Meeteren LA, Moolenaar WH, Valet P, Saulnier-Blache JS.
J. of Lipid Research, 52(6):1247-55, 2011 06
WEB >> <http://www.jlr.org/content/52/6/1247.short>

Exposure in utero to maternal diabetes leads to glucose intolerance and high blood pressure with no major effects on lipid metabolism

B. Blondeau, B. Joly, C. Perret, S. Prince, P. Bruneval, M. Lelièvre-Pégorier, C. Fassot, J.-P. Duong Van Huyen
Diabetes & Metabolism, Volume 37, Issue 3, Pages 245–251, 2011 06
WEB >> <http://www.sciencedirect.com/science/article/pii/S1262363610002946>

Moderate caloric restriction in lactating rats programs their offspring for a better response to HF diet feeding in a sex-dependent manner

Mariona Palou, Juana María Torrens, Teresa Priego, Juana Sánchez, Andreu Palou, Catalina Picó
J Nutr Biochem., Volume 22, Issue 6, Pages 574–584, 2011 06
WEB >> <http://www.sciencedirect.com/science/article/pii/S0955286310001361>

Functional variability in corticosteroid receptors is a major component of strain differences in fat deposition and metabolic consequences of enriched diets in rat

Nathalie Marissal-Arvy, Allan Langlois, Claudine Tridon, Pierre Mormede
Metabolism, Volume 60, Issue 5, Pages 706–719, 2011 05
WEB >> <http://www.sciencedirect.com/science/article/pii/S0026049510002246>

Metformin restores endothelial function in aorta of diabetic rats

Sena CM, Matafome P, Louro T, Nunes E, Fernandes R, Seíça RM.
British J. of Pharmacology, Volume 163, Issue 2, pages 424–437, 2011 05
WEB >> <http://onlinelibrary.wiley.com/doi/10.1111/j.1476-5381.2011.01230.x/full>

GLP-1 and exendin-4 can reverse hyperlipidic-related osteopenia

Nuche-Berenguer B, Lozano D, Gutiérrez-Rojas I, Moreno P, Mariñoso ML, Esbrit P, Villanueva-Peñacarrillo ML.
J. of Endocrinology, 209(2):203-10, 2011 05
WEB >> <http://joe.endocrinology-journals.org/content/209/2/203.short>

Isocaloric intake of a high-fat diet modifies adiposity and lipid handling in a sex dependent manner in rats

Maria E Estrany, Ana M Proenza, Isabel Lladó and Magdalena Gianotti
Lipids Health Dis., page 10:52, 2011 04 12; DOI : 10.1186/1476-511X-10-52
WEB >> <http://www.lipidworld.com/content/10/1/52/>

Accurate fat fraction quantification by multiecho gradient-recalled-echo magnetic resonance at 1.5 T in rats with nonalcoholic fatty liver disease

Hijona E, Sánchez-González J, Alústiza JM, Hijona L, Arenas J, García E, Rojas N, Portillo MP, Jiménez R, Aldazabal P, Bujanda L.
European J. of Radiology, , 2011 04 01; DOI : 10.1016/j.ejrad.2011.02.065
WEB >> <http://www.sciencedirect.com/science/article/pii/S0720048X11002609>

Modulatory effect of grape-seed procyanidins on local and systemic inflammation in diet-induced obesity rats

Ximena Terra, Víctor Pallarés, Anna Ardèvol, Cinta Bladé, Juan Fernández-Larrea, Gerard Pujadas, Josepa Salvadó, Lluís Arola, Mayte Blay
J Nutr Biochem., Volume 22, Issue 4, Pages 380–387, 2011 04
WEB >> <http://www.jnutbio.com/article/S0955-2863%2810%2900079-3/abstract>

Age-Related Decline of Skeletal Muscle Insulin Sensitivity in Rats: Effect of Sex and Muscle Type

Yolanda Gómez-Pérez, Magdalena Gianotti, Ana M. Proenza, and Isabel Lladó
Rejuvenation Research, 14(2): 153-161, 2011 04
WEB >> <http://online.liebertpub.com/doi/abs/10.1089/rej.2010.1107>

Brown adipose tissue redox status in response to dietary-induced obesity-associated oxidative stress in male and female rats

A. Nadal-Casellas, A. M. Proenza, M. Gianotti, I. Lladó
Stress, Vol. 14, No. 2 , Pages 174-184, 2011 03; DOI : 10.3109/10253890.2010.524681
WEB >> <http://informahealthcare.com/doi/abs/10.3109/10253890.2010.524681>

Exercise Reverses Metabolic Syndrome in High-Fat Diet-Induced Obese Rats

TOUATI, SABELUR; MEZIRI, FAYÇAL; DEVAUX, SYLVIE; BERTHELOT, ALAIN; TOUYZ, RHIAN M.; LAURANT, PASCAL
Medicine & Science in Sports & Exercise, Volume 43 - Issue 3 - pp 398-407, 2011 03
WEB >> http://journals.lww.com/acsm-msse/Abstract/2011/03000/Exercise_Reverses_Metabolic_Syndrome_in_High_Fat.4.aspx

Sodium tungstate regulates food intake and body weight through activation of the hypothalamic leptin pathway

Amigó-Correig M, Barceló-Batlloí S, Piquer S, Soty M, Pujadas G, Gasa R, Bortolozzi A, Carmona MC, Gomis R.
Diabetes Obesity and Metabolism, 13(3):235-42, 2011 03
WEB >> <http://onlinelibrary.wiley.com/doi/10.1111/j.1463-1326.2010.01339.x/full>

Experimental Metabolic Surgery: Justification and Technical Aspects

Fátima Sabench Perreferrer, Mercè Hernández González and Daniel Del Castillo Déjardin
Obesity Surgery, Volume 21, Number 10, 1617-1628, 2011 02 25
WEB >> <http://www.springerlink.com/content/v1t274482021ju5k/>

Unexpected Long-Term Protection of Adult Offspring Born to High-Fat Fed Dams against Obesity Induced by a Sucrose-Rich Diet

Odile Couvreur, Jacqueline Ferezou, Daniel Grippo, Colette Serougne, Delphine Crépin, Alain Aubourg, Arieh Gertler, Claire-Marie Vacher, Mohammed Taouis
PLoS One, 6(3): e18043, 2011 02 21
WEB >> <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3064582/?tool=pmcentrez>

Moderate Caloric Restriction during Gestation in Rats Alters Adipose Tissue Sympathetic Innervation and Later Adiposity in Offspring

García AP, Palou M, Sánchez J, Priego T, Palou A, et al.

PLoS One, 6(2): e17313, 2011 02 18

WEB >> <http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0017313>

Effects of a high-fat diet on energy metabolism and ROS production in rat liver

Guillaume Vialemail address, Hervé Dubouchaud, Karine Couturier, Cécile Cottet-Rousselle, Nellie Taleux, Anne Athias, Anne Galinier, Louis Casteilla, Xavier M. Leverve

J. of Hepatology, , 2011 02

WEB >> <http://www.sciencedirect.com/science/article/pii/S0168827810007944>

Metformin and atorvastatin combination further protect the liver in type 2 diabetes with hyperlipidaemia

Matafofe, P., Louro, T., Rodrigues, L., Crisóstomo, J., Nunes, E., Amaral, C., Monteiro, P., Cipriano, A. and Seíça, R.

Diabetes/Metabolism Research and Reviews, Volume 27, Issue 1, pages 54–62, 2011 01

WEB >> <http://onlinelibrary.wiley.com/doi/10.1002/dmrr.1157/full>

Quantitative CT imaging for adipose tissue analysis in mouse model of obesity

Arnaud Marchadier, Catherine Vidal, Jean-Pierre Tafani, Sylvain Ordureau, Roger Lédée, Christophe Léger

SPIE Medical Imaging, , 2011

WEB >> <http://hal.archives-ouvertes.fr/hal-00608280/>

Diabetic Nephropathy Amelioration by a Low-Dose Sitagliptin in an Animal Model of Type 2 Diabetes (Zucker Diabetic Fatty Rat)

Cristina Mega, Edite Teixeira de Lemos, Helena Vala, et al.

Experimental Diabetes Research, , 2011

WEB >> <http://www.hindawi.com/journals/edr/2011/162092/cta/>

Habitual Physical Exercise Improves Macrophage IL-6 and TNF- α Deregulated Release in the Obese Zucker Rat Model of the Metabolic Syndrome

Leticia Martín-Cordero, Juan José García, María Dolores Hinchado, Elena Bote, Rafael Manso, Eduardo Ortega

Neuroimmunomodulation, Vol. 18, No. 2, 2011

WEB >> <http://content.karger.com/produktedb/produkte.asp?DOI=000322053&typ=pdf>

Upregulation of eNOS and unchanged energy metabolism in increased susceptibility of the aging type 2 diabetic GK rat heart to ischemic injury

Martine Desrois, Kieran Clarke, Carole Lan, Christiane Dalmasso, Mark Cole, Bernard Portha, Patrick J. Cozzone, Monique Bernard

Am. J. Physiol Heart Circ Physiol, 299(5): H1679–H1686, 2010 11

WEB >> <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2993220/?tool=pmcentrez>

Cirsimarín, a potent antilipogenic flavonoid, decreases fat deposition in mice intra-abdominal adipose tissue

Zarrouki B, Pillon NJ, Kalbacher E, Soula HA, Nia N'Jomen G, Grand L, Chambert S, Geloën A, Soulagé CO.

Int J Obes, 34(11):1566-75, 2010 11; DOI : 10.1038/ijo.2010.85

WEB >> <http://www.nature.com/ijo/journal/v34/n11/abs/ijo201085a.html>

Proteasomal degradation of retinoid X receptor alpha reprograms transcriptional activity of PPAR γ in obese mice and humans.

Lefebvre B, Benomar Y, Guédin A, Langlois A, Hennuyer N, Dumont J, Bouchaert E, Dacquet C, Pénicaud L, Casteilla L, Pattou F, Ktorza A, Staels B, Lefebvre P

J. Clin Invest., 120(5):1454-68, 2010 05 03; DOI : 10.1172/JCI38606

WEB >> <http://www.ncbi.nlm.nih.gov/pubmed/20364085>

CB1 Antagonism Exerts Specific Molecular Effects on Visceral and Subcutaneous Fat and Reverses Liver Steatosis in Diet-Induced Obese Mice

Tony Jourdan, Louiza Djaouti, Laurent Demizieux, Joseph Gresti, Bruno Vergès, Pascal Degrae

Diabetes, 59(4): 926–934, 2010 04; DOI : 10.2337/db09-1482

WEB >> <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2844840/?tool=pmcentrez>

LXR and ABCA1 control cholesterol homeostasis in the proximal mouse epididymis in a cell-specific manner

Aurélia Ouvrier, Rémi Cadet, Patrick Vernet, Brigitte Laillet, Jean-Michel Chardigny, Jean-Marc A. Lobaccaro, Joël R. Drevet, Fabrice Saez

J. of Lipid Research, 50(9): 1766–1775, 2009 09; DOI : 10.1194/jlr.M800657-JLR200

WEB >> <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2724773/?tool=pmcentrez>

Kallikrein protects against microalbuminuria in experimental type I diabetes

Sophie Bodin, Catherine Chollet, Nicolas Goncalves-Mendes, Joelle Gardes, Franck Pean, Didier Heudes, Patrick Bruneval, Michel Marre, Fran[ccedil]ois Alhenc-Gelas

& Nadine Bouby

Kidney International, 76, 395–403, 2009 08 01

WEB >> <http://www.nature.com/ki/journal/v76/n4/abs/ki2009208a.html>

Early postnatal overfeeding induces early chronic renal dysfunction in adult male rats

Farid Boubred, Laurent Daniel, Christophe Buffat, Jean-Marc Feuerstein, Michel Tsimaratos, Charles Oliver, Françoise Dignat-George, Martine Lelièvre-Pégorier, Umberto

Simeoni

American Journal of Physiology, Vol. 297 no. 4, 2009 07 31; DOI : 10.1152/ajprenal.90704.2008

The timing of "catch-up growth" affects metabolism and appetite regulation in male rats born with intra-uterine growth restriction.

Bérengrère Coupé, Isabelle Grit, Dominique Darmaun, and Patricia Parnet

Am. J. Physiology, 00201.2009, 2009 07 15

WEB >> <http://www.ncbi.nlm.nih.gov/pubmed/19605764?dopt=Abstract>

Deficiency of angiotensin type 2 receptor rescues obesity but not hypertension induced by overexpression of angiotensinogen in adipose tissue.

Yvan-Charvet L, Massiéra F, Lamandé N, Ailhaud G, Teboul M, Moustaid-Moussa N, Gasc JM, Quignard-Boulangé A.

Endocrinology, 150(3):1421-8, 2009 03

WEB >> <http://www.ncbi.nlm.nih.gov/pubmed/18948399?dopt=Abstract>

Capillary endothelial but not lymphatic function is restored under rosiglitazone in Zucker Diabetic Fatty rats

Emmanuel Cosson, Francine Cohen-Boulakia, Karima Tarhzaoui, Hubert Dabiré, Gérard Léger, Nathalie Charnaux, Roger Lestrade, Abraham Behar and Paul Valensi
Microvascular Research, Volume 77, Issue 2, Pages 220-225, 2009 03

WEB >> http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6WN8-4V2NP7F-1&_user=10&_coverDate=03%2F31%2F2009&_rdoc=1&_fmt=high&_orig=search&_sort=d&_docanchor=&view=c&_searchStrId=1257692956&_rerunOrigin=scholar.google&_a

5-HT(1A) activation counteracts cardiovascular but not hypophagic effects of sibutramine in rats.

Thomas GH, Babbs AJ, Chatfield RE, Krülle TM, Widdowson PS, Provost D, McCormack JG.

Obesity, 17(3):467-73, 2009 03; DOI : 10.1038/oby.2008.550

WEB >> <http://onlinelibrary.wiley.com/doi/10.1038/oby.2008.550/ful>

Cardiac aldosterone overexpression prevents harmful effects of diabetes in the mouse heart by preserving capillary density

Smail Messaoudi, Paul Milliez, Jane-Lise Samuel, and Claude Delcayre

FASEB J., 23:2176-2185, 2009

WEB >> <http://www.fasebj.org/cgi/content/abstract/23/7/2176>

High-fat feeding alters the clock synchronization to light

Jorge Mendoza, Paul Pévet, and Etienne Challet

J Physiol, 586(Pt 24): 5901-5910, 2008 12 15; DOI : 10.1113/jphysiol.2008.159566

WEB >> <http://jp.physoc.org/content/586/24/5901.abstract?sid=aa722627-3dd8-40ab-adc0-7d3aec206657>

Visceral fat and total body fat mass correlate differently with hormones in rat

E. Ebal, H. Cavalié, O. Michaux and G. Lac

Pathologie Biologie, Volume 56, Issue 5, Pages 283-285, 2008 07

WEB >> http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6W8H-4RH8SD4-

Partial leptin deficiency favors diet-induced obesity and related metabolic disorders in mice

Karima Begriche, Philippe Lettéron, Adje Abbey-Toby, Nathalie Vadrot, Marie-Anne Robin, André Bado, Dominique Pessayre, and Bernard Fromenty

Am. J. Physiology, 294: E939-E951, 2008 03 18

WEB >> <http://ajpendo.physiology.org/cgi/content/abstract/00379.2007v1>

β-Aminoisobutyric Acid Prevents Diet-induced Obesity in Mice With Partial Leptin Deficiency

Karima Begriche, Julie Massart, Adje Abbey-Toby, Anissa Igoudjil, Philippe Lettéron and Bernard Fromenty

Obesity, 16 9, 2053-2067, 2008; DOI : 10.1038/oby.2008.337

WEB >> <http://www.nature.com/oby/journal/v16/n9/full/oby2008337a.html>

Compromised Intestinal Lipid Absorption in Mice with a Liver-Specific Deficiency of Liver Receptor Homolog 1

Chikage Matak, Benjamin C. Magnier, Sander M. Houten, Jean-Sébastien Annicotte, Carmen Argmann, Charles Thomas, Henk Overmars, Wim Kulik, Daniel Metzger, Johan Auwerx, and Kristina Schoonjans

Mol Cell Biol., 27(23): 8330-8339, 2007 12

Increasing the fat-to-carbohydrate ratio in a high-fat diet prevents the development of obesity but not a prediabetic state in rats.

Sinitskaya N1, Gourmelen S, Schuster-Klein C, Guardiola-Lemaitre B, Pévet P, Challet E.

Clin Sci (Lond), 113(10):417-25, 2007 11; DOI : 10.1042/CS20070182

WEB >> <http://www.clinsci.org/content/113/10/417.full-text.pdf>

Plant extracts rich in polyphenols (PERP) are efficient antioxidants to prevent lipoperoxidation in plasma lipids from animals fed n-3 PUFA supplemented diets

C. Gladinea, C. Morandb, E. Rockb, D. Baucharta, D. Duranda

Animal Feed Science and Technology, Vol. 136, Issue 3, Pages 281-296, 2007 08 01; DOI : 10.1016/j.anifeeds.2006.09.003

WEB >> [http://www.animalfeedscience.com/article/S0377-8401\(06\)00350-6/abstract](http://www.animalfeedscience.com/article/S0377-8401(06)00350-6/abstract)

Intense Sweetness Surpasses Cocaine Reward

Magalie Lenoir, Fuschia Serre, Lauriane Cantin, and Serge H. Ahmed

PLoS One, 2(8): e698, 2007 08

WEB >> <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1931610/>

Long-term consequences of maternal high-fat feeding on hypothalamic leptin sensitivity and diet-induced obesity in the offspring

Jacqueline Férézou-Viala, Anne-France Roy, Colette Sérourne, Daniel Grippois, Michel Parquet, Virginie Bailleux, Arieh Gertler, Bernadette Delplanque, Jean Djiane, Michel Riottot, and Mohammed Taouis

Am. J. Physiology, 293: R1056-R1062, 2007 06 06

C3H/HeJ mice carrying a toll-like receptor 4 mutation are protected against the development of insulin resistance in white adipose tissue in response to a high-fat diet

M. Poggi, D. Bastelica, P. Gual, M. A. Iglesias, T. Gremeaux, C. Knauf, F. Peirretti, M. Verdier, I. Juhan-Vague, J. F. Tanti, R. Burcelin and M. C. Alessi

Diabetologia, DOI 10.1007/s00125-007-0654-8, 2007 04 11

WEB >> <http://www.springerlink.com/content/u64w458910553761/>

Site-Specific Reduction of Oxidative and Lipid Metabolism in Adipose Tissue of 3'-Azido-3'-Deoxythymidine-Treated Rats

Catherine Deveaud, Bertrand Beauvoit, Annabel Reynaud, and Jacques Bonnet

Antimicrob Agents Chemother, 51(2): 583-590, 2007 02

WEB >> <http://aac.highwire.org/cgi/content/abstract/51/2/583>

Fructose-enriched diet modifies antioxidant status and lipid metabolism in spontaneously hypertensive rats

Aurélien Girard, Sihem Madani, Farida Boukortt, Mustapha Cherkaoui-Malki, Jacques Belleville, Josiane Prost

Nutrition, Volume 22, Issue 7, Pages 758-766, 2006 07; DOI : 10.1016/j.nut.2006.05.006

WEB >> [http://www.nutritionjnl.com/article/S0899-9007\(06\)00226-7/abstract](http://www.nutritionjnl.com/article/S0899-9007(06)00226-7/abstract)

Induction of adiponectin in skeletal muscle of type 2 diabetic mice: in vivo and in vitro studies

A. M. Delaigle, M. Senou, Y. Guiot, M. -C. Many and S. M. Brichard

Diabetologia, Volume 49, Number 6, 1311-1323, 2006 06

WEB >> <http://www.springerlink.com/content/q166375pw677601n/>

Changes in lipid metabolism and antioxidant defense status in spontaneously hypertensive rats and Wistar rats fed a diet enriched with fructose and saturated fatty acids
Aurélié Girard, Sihem Madani, Es Saddik El Boustani, Jacques Belleville, Josiane Prost
Nutrition, Volume 21, Issue 2, Pages 240-248, 2005 02; DOI : 10.1016/j.nut.2004.04.022
WEB >> [http://www.nutritionjrn.com/article/S0899-9007\(04\)00245-X/abstract](http://www.nutritionjrn.com/article/S0899-9007(04)00245-X/abstract)

Involvement of endogenous glucagon-like peptide-1(7–36) amide on glycaemia-lowering effect of oligofructose in streptozotocin-treated rats
Patrice D Cani, Catherine A Daubioul, Brigitte Reusens, Claude Remacle, Grégory Catillon and Nathalie M Delzenne
J. of Endocrinology, 185, 457-465, 2005
WEB >> <http://joe.endocrinology-journals.org/cgi/content/abstract/185/3/457>

Feeding response to a potent prolactin-releasing peptide agonist in lean and obese Zucker rats
Bernard Becka, Jean-Pierre Maxa, Sébastien Richya and Alain Stricker-Krongrad
Brain Research, Volume 1016, Issue 1, 2004 07 30
WEB >> http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6SYR-4CMJG28-2&_user=10&_coverDate=07%2F30%2F2004&_rdoc=1&_fmt=high&_orig=search&_sort=d&_docanchor=&view=c&_searchStrId=1268932287&_rerunOrigin=scholar.google&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=ccdc9cbb28a257b2b1baafc553e8b0

Effects of zidovudine, stavudine and β -aminoisobutyric acid on lipid homeostasis in mice: possible role in human fat wasting
Caroline Maisonneuve, Anissa Igoudjil, Karima Begriche, Philippe Lettèron, Marie-Christine Guimont, Jean Bastin, Jean-Pierre Laigneau, Dominique Pessayre and Bernard Fromenty
Antiviral Therapy, 9:801–810, 2004 06 17

Increased level of glycoxidation product N-(carboxymethyl)lysine in rat serum and urine proteins with aging: Link with glycoxidative damage accumulation in kidney
Maud Hamelin, Caroline Borot-Laloi, Bertrand Friguet and Hilaire Bakala
Archives of Biochemistry and Biophysics, Volume 411, Issue 2, Pages 215-222, 2003 03 15
WEB >> http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6WB5-47VH22H-G&_user=10&_coverDate=03%2F15%2F2003&_rdoc=1&_fmt=high&_orig=search&_sort=d&_docanchor=&view=c&_searchStrId=1253510403&_rerunOrigin=scholar.google&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=74e53b05851562cc9dafa6f078305973e

A CLA mixture prevents body triglyceride accumulation without affecting energy expenditure in Syrian hamsters
Bouthegourd JC, Even PC, Gripois D, Tiffon B, Blouquit MF, Roseau S, Lutton C, Tomé D, Martin JC.
J. of Nutrition, 132(9):2682-9, 2002 09
WEB >> <http://www.ncbi.nlm.nih.gov/pubmed/12221229?dopt=Abstract>

Dietary Fructans, but Not Cellulose, Decrease Triglyceride Accumulation in the Liver of Obese Zucker fa/fa Rats
Catherine Daubioul, Nicolas Rousseau, Roger Demeure, Bernard Gallez, Henryk Taper, Barbara Declerck and Nathalie Delzenne
J. of Nutrition, 132: 967–973, 2002
WEB >> <http://www.ncbi.nlm.nih.gov/pubmed/11983823?dopt=Abstract>

Angiotensinogen-Deficient Mice Exhibit Impairment of Diet-Induced Weight Gain with Alteration in Adipose Tissue Development and Increased Locomotor Activity
Florence Massiera, Josiane Seydoux, Alain Geloën, Annie Quignard-Boulange, Sophie Turban, Perla Saint-Marc, Akiyoshi Fukamizu, Raymond Negrel, Gérard Ailhaud and Michèle Teboul
Endocrinology, Vol. 142, No. 12 5220-5225, 2001 08 20
WEB >> <http://www.ncbi.nlm.nih.gov/pubmed/11713218?dopt=Abstract>

Fish Oil Supplementation Prevents Diabetes-Induced Nerve Conduction Velocity and Neuroanatomical Changes in Rats
Alain Gerbi, Jean-Michel Maixent, Jean-Luc Ansaldo, Michele Pierlovisi, Thierry Coste, Jean-Francois Pelissier, Philippe Vague, and Denis Raccah
J. of Nutrition, Vol. 129 No. pp. 207-213, 1999 01 01
WEB >> <http://www.ncbi.nlm.nih.gov/pubmed/9915901?dopt=Abstract>

Effect of cholesterol-rich diet on the susceptibility of rodent malarial parasites to chloroquine chemotherapy
H. Ginsburg, I. Landau and D. Baccam
Life Sciences, Volume 42, Issue 1, Pages 7-10, 1998
WEB >> http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6T99-475SM1B-77&_user=10&_coverDate=12%2F31%2F1988&_rdoc=1&_fmt=high&_orig=search&_sort=d&_docanchor=&view=c&_searchStrId=1278984560&_rerunOrigin=scholar.google&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=700cb6ff43025083809affff43c5e524

Fixed-dose combination of perindopril with indapamide in spontaneously hypertensive rats: haemodynamic, biological and structural effects
Richard, Vincent; Joannides, Robinson; Henry, Jean-Paul; Mulder, Paul; Mace, Bertand; Guez, David; Schiavi, Pierre; Thuillez, Christian
J. of Hypertension, Volume 14 - Issue 12 pp 1447-1454, 1996 12
WEB >> http://journals.lww.com/jhypertension/Abstract/1996/12000/Fixed_dose_combination_of_perindopril_with_10.aspx

Steroid saponins from fenugreek seeds: Extraction, purification, and pharmacological investigation on feeding behavior and plasma cholesterol
Pierre R. Petit, Yves D. Sauvaire, Dominique M. Hillaire-Buys, Olivier M. Leconte, Yves G. Baissac, Gabriel R. Ponsin and Gérard R. Ribes
Steroids, Volume 60, Issue 10, Pages 674-680, 1995 10
WEB >> http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6TC9-3YYV2TY-

Effect of dietary cholesterol on activity and mRNA levels of hepatic lipase in rat
Fabrice Sultan, Ferdaous Benhizia, Dominique Lagrange, Hans Will and Sabine Griglio
Life Sciences, Volume 56, Issue 1, Pages 31-37, 1994 11
WEB >> [http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6T99-3YYTK74-1T&_user=10&_coverDate=11%2F30%2F1994&_rdoc=1&_fmt=high&_orig=search&_sort=d&_docanchor=&view=c&_searchStrId=1265406880&_rerunOrigin=scholar.google&](http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6T99-3YYTK74-1T&_user=10&_coverDate=11%2F30%2F1994&_rdoc=1&_fmt=high&_orig=search&_sort=d&_docanchor=&view=c&_searchStrId=1265406880&_rerunOrigin=scholar.google&_)

Role of Dietary Propionic Acid and Bile Acid Excretion in the Hypocholesterolemic Effects of Oligosaccharides in Rats
Marie-Anne Levrat, Marie-Laure Favier, Corinne Moundras, Christian Rémésy, Christian Demigné and Christine Morand
J. of Nutrition, 124(4):531-8, 1994 04
WEB >> <http://www.ncbi.nlm.nih.gov/pubmed/8145075?dopt=Abstract>

Changes in fatty acid compositions of total serum and lipoprotein particles, in growing rats given protein-deficient diets with either hydrogenated coconut or salmon oils as fat sources
Mahmoud Bouziane, Josiane Prost and Jacques Belleville
Br J Nutr., 71 : 375-387, 1994

Positional distribution on n-3 fatty acids in triacylglycerols from rat adipose tissue during fish oil feeding
Claude Leray, Thierry Raclot and René Groscolas
Lipids, Volume 28, Number 4, 279-284, 1993 04
WEB >> <http://www.springerlink.com/content/e80u8j3589258541/>

Neither Dietary Fructose, Dextrose nor Starch Modifies In Vitro Glycerol Release by Adipocytes from Streptozotocin-Diabetic Rats
Jing Luo, Salwa W. Rizkalla, Catherine Alamowitch, Josette Boillot, Françoise Bruzzo, Annie Chevalier and Gerard Slama
J. of Nutrition, 122(12):2361-6, 1992 12
WEB >> <http://www.ncbi.nlm.nih.gov/pubmed/1453220?dopt=Abstract>

Normolipidaemic Activity of Liposomal-Encapsulated Superoxide Dismutase in Rats
A. Vaillat and G. Jadot
Free Radical Research, Vol. 11, No. 4-5, Pages 241-250, 1990 12
WEB >> <http://informahealthcare.com/doi/abs/10.3109/10715769009088921>

Ocular complications in the old and glucose-intolerant genetically obese (fa/fa) rat
A. Dosso, E. Rungger-Brändle, F. Rohner-Jeanrenaud, E. Ionescu, C. Guillaume-Gentil, B. Jeanrenaud and P. M. Leuenberger
Diabetologia, Volume 33, Number 3, 137-144, 1990 03
WEB >> <http://www.springerlink.com/content/x17014161h316gqj/>

The effect of high-fibre diet on plasma lipoproteins and hormones in genetically obese Zucker rats
A. Mazur, C. Rémésy, C. Demigné
European J. of Clinical Investigation, Volume 20 Issue 6, Pages 600 - 606, 1990 02 23
WEB >> <http://www3.interscience.wiley.com/journal/119367200/abstract>

Effect of Dietary Salmon Oil Feeding on Rat Heart Lipid Status
Gilles Nalbone, Elise Termine, Jeannie Léonardi, Henri Portugal, Paulette Lechêne, Raymond Calaf, Raymond Lafont and Huguette Lafont
J. of Nutrition, 118(7):809-17., 1988 07
WEB >> <http://www.ncbi.nlm.nih.gov/pubmed/3392592?dopt=Abstract>

Influence of chronic ethanol intake on obesity, liver steatosis and hyperlipidaemia in the Zucker fa/fa rat
C. Karsenty, F. Chanussot, M. Ulmer and G. Debry
Br J Nutr., vol. 54, no1, pp. 5-13, 1985
WEB >> <http://journals.cambridge.org/action/displayAbstract?fromPage=online&aid=855564>

Kinetics of absorption, equilibration (or distribution), and excretion of orally and intraperitoneally administered cholesterol in the rat
A. Adam, J. Van Cantfort and J. Gielen
Lipids, Volume 11, Number 8, 610-615, 1976 08
WEB >> <http://www.springerlink.com/content/4h8u21vq25975861/>

Hypothalamic eIF2a Signaling Regulates Food Intake

CellPress, ,
WEB >> <http://www.cell.com/cms/attachment/2020603890/2040306671/mmc2.pdf>